

## HYBRID ENERGY GOVERNANCE

*Hari M. Osofsky & Hannah J. Wiseman\**

Forthcoming in *Illinois Law Review* (2014)

### ABSTRACT:

This Article develops a novel theory of energy governance and uses it to assess how institutional innovation can help meet critical challenges. Energy law is substantively complex and deeply fragmented. Each energy sector—including fuel extraction and pipelines, electricity generation and transmission, and transportation—has its own legal regime and federalism approach; confusion often exists at moments of crisis about how much authority federal, state, and local regulators have in these areas. The complexity and fragmentation of energy law are particularly problematic because the energy system faces major transitions due to emerging technology, more unpredictable and extreme weather events, and public pressure for “cleaner” energy. Regulators struggle to: (1) manage the risks of hydraulic fracturing and deepwater drilling, (2) upgrade our aging electricity grid, and (3) integrate renewable energy sources onto that grid and into electricity markets.

Building from our prior work arguing for a dynamic, comprehensive approach to federalism in energy law, this Article proposes a governance model to address modern energy challenges. The Article focuses on the potential of institutions that are “hybrid” by virtue of including public and private actors from several governance levels, and enabling important interactions among them. Grounding its approach in interdisciplinary governance theory, it argues that these institutions have characteristics that could address structural barriers—such as inadequate, divided regulatory authority, and the complexities of including key private actors in energy

---

\* Hari M. Osofsky is an Associate Professor at the University of Minnesota Law School; Interim Director of the Consortium on Law and Values in Health, Environment & the Life Sciences and Joint Degree Program in Law, Health & the Life Sciences; Affiliated Faculty in Conservation Biology and in Geography, Environment and Society; and a Fellow with the Institute on the Environment. Hannah J. Wiseman is an Assistant Professor at the Florida State University College of Law. This article has benefitted greatly from feedback and discussion following its presentation at Fordham Law School, Northwestern Law School, UCLA School of Law, and University of Minnesota Law School. We would like to thank Melinda Benson, Alejandro Camacho, Ann Carlson, Lincoln Davies, Dan Farber, Victor Flatt, Robert Glicksman, Alexandra Klass, Alfred Marcus, and Elizabeth Wilson for their thoughtful commentary on the draft. We also appreciate the research assistance of Kenzie Johnson and David Warden. Hari Osofsky would also like, as always, to thank Joshua, Oz, and Scarlet Gitelson for their love, support, and patience.

decisionmaking—to substantive progress. After introducing its new conceptual model, the Article examines several hybrid institutions with substantial regional components that are working to address the three core substantive energy challenges identified here. It analyzes their progress in meeting these challenges, and how their hybrid governance approach is assisting them in doing so.

INTRODUCTION .....	3
I. CONCEPTUALIZING HYBRID REGIONAL GOVERNANCE .....	5
A. <i>The Need for Institutional Innovation</i> .....	6
B. <i>The Potential for Hybridity to Help Ameliorate Governance Challenges</i> .....	9
II. ADDRESSING RISKS AND INEQUALITY IN UNCONVENTIONAL FUEL DEVELOPMENT: REGIONAL STRUCTURES FOR CITIZEN PARTICIPATION .....	12
A. <i>Problems of Risk and Inequality in Fuel Extraction</i> .....	14
B. <i>Regulatory Innovation through Hybrid Regional Structures</i> .....	21
1. Introducing Comprehensive Regulation and Expanding Stakeholder Involvement to Prevent and Address Risk .....	22
2. Aggressive and Inclusive Regionalism .....	25
3. Combining Stakeholder Input and Regional Approaches to Navigate Governance Challenges .....	28
III. ENSURING GRID RELIABILITY AS TECHNOLOGY CHANGES: THE NERC EXAMPLE.....	32
A. <i>The Need to Update Grid Reliability Practices as Technology Changes</i> .....	32
B. <i>Regulatory Innovation through Hybrid Regional Structures</i> .....	36
1. Coordinating Standards through Private Governance and Adding Public Oversight.....	37
2. Horizontally and Vertically Integrating Key Actors.....	40
3. Maintaining Private Involvement Within Shifting Hierarchical Processes .....	42
IV. INTEGRATING RENEWABLES ONTO THE GRID: EFFORTS BY REGIONAL TRANSMISSION ORGANIZATIONS.....	46
A. <i>Challenges Facing the Integration of Renewables onto the Grid</i> .....	46
B. <i>Regulatory Innovation through Hybrid Regional Structures</i> .....	48
1. Implementing Creative Pricing Schemes and Prioritizing Regional Transmission Build-out.....	49
2. Forging Horizontal and Vertical Connections .....	54

3. Including Public and Private Actors in Multi-Directional Planning Processes .....	56
V. BENEFITS AND LIMITATIONS OF INSTITUTIONAL HYBRIDITY .....	57
A. <i>Difficulties of Defining “Success”</i> .....	58
B. <i>Substantive Assessment</i> .....	59
C. <i>Structural Assessment</i> .....	63
CONCLUSION .....	66

## INTRODUCTION

Except when crisis hits, energy consumers prefer not to “look behind the plug.” We expect that the lights will turn on, gas stations will have fuel for our cars, and our computers and iPads will charge. Energy law reflects this understanding with its two fundamental mandates: reducing fuel and electricity costs and maintaining reliable service.

However, as becomes clear when oil pours into the Gulf,<sup>1</sup> utilities fail to restore power rapidly after major storms,<sup>2</sup> or the lights go out during the Super Bowl, what lies behind the plug is extremely messy and fragile. The energy system and the law that attempts to regulate it are substantively and structurally complex. This complexity is particularly problematic because the energy system faces a moment of major transition, as regulators grapple with new technologies and public pressure for “cleaner” energy. Specifically, they struggle to manage the risks of hydraulic fracturing and deepwater drilling,<sup>3</sup> upgrade our aging electricity grid and respond quickly

---

<sup>1</sup> See *infra* Part II.

<sup>2</sup> Nate Schweber & Jess Bidgood, *Anxiety Grows as Thousands Remain Stranded and in the Dark After Storm*, N.Y. TIMES, Feb. 10, 2013, [http://www.nytimes.com/2013/02/11/us/after-the-big-snowfall-the-struggle-to-dig-out.html?pagewanted=all&\\_r=0](http://www.nytimes.com/2013/02/11/us/after-the-big-snowfall-the-struggle-to-dig-out.html?pagewanted=all&_r=0) (noting that at one point after the storm, 650,000 customers in Connecticut, Rhode Island, and Massachusetts were without power); Peter Applebome & Elizabeth Maker, *In Connecticut Replay, Storm Comes, Power Goes*, N.Y. TIMES A12, Feb. 11, 2013. (noting that “losing trees and power has been common in Connecticut in recent storms”); PJM, Operations Update, Hurricane Sandy, <http://www.pjm.com/~media/committees-groups/committees/oc/20121106/20121106-item-04-hurricane-sandy.ashx> (in assessing the impacts of the hurricane and reporting preliminary data, noting “140 transmission lines out of service,” 40 offline generators, and approximately 5 million customers without service during the peak of the problems, and observing that customer outages were “[h]igher than both the 6/29/2012 Derecho and Hurricane Irene”).

<sup>3</sup> See *infra* Part II.

to outages,<sup>4</sup> and integrate renewable energy sources onto that grid and into electricity markets.<sup>5</sup>

Energy federalism and governance are at the heart of this struggle. Our prior article, *Dynamic Energy Federalism*, critiques both energy law and the scholarship that analyzes it as deeply fragmented.<sup>6</sup> Each primary source of energy—coal, oil, natural gas, nuclear, hydropower, solar, wind—has its own legal regime. Electricity, pipelines, transmission systems, and transportation are addressed separately as well. This fragmentation is not simply substantive; the federalism arrangements within each sector are often inconsistent and unclear. For example, natural gas pipeline construction is largely federalized, while new electricity transmission generally must navigate state and local land use planning. Moreover, confusion exists at critical moments—after an accident or major weather event—about how much authority federal, state, and local regulators have, which creates obstacles to effectively addressing substantive challenges. We conclude that piece by arguing for a holistic, systematic approach to these federalism and governance challenges which: (1) establishes adequate regulatory authority; (2) reduces overlap and fragmentation; and (3) incorporates key stakeholders appropriately.<sup>7</sup>

This Article takes on the challenge of developing such an approach and, in so doing, fills a key gap in energy law and federalism scholarship. It proposes an innovative model of energy governance, using what it terms “hybrid” institutions to address substantive energy challenges more effectively.<sup>8</sup> Hybrid institutions combine authority from more than one level of government, whether as a formal or informal part of their structure or governance process, and also include private and public actors within the governance process. The Article specifically examines hybrid institutions with strong regional components—either multi-state groupings from particular parts of the country or key stakeholders from a particular part of a state. It argues that these regional institutions’ unusual position between other governance levels—for example, at a level of authority that is larger than states but smaller than federal—helps them serve as an important bridge between the key levels of authority in energy regulation and take advantage of the many commonalities that geographic proximity brings.<sup>9</sup>

---

<sup>4</sup> See *infra* Part III.

<sup>5</sup> See *infra* Part IV.

<sup>6</sup> Hari M. Osofsky & Hannah J. Wiseman, *Dynamic Energy Federalism*, \_\_ MARYLAND L. REV. \_\_ (forthcoming 2013).

<sup>7</sup> See *id.*

<sup>8</sup> See *infra* Part I.

<sup>9</sup> See *id.*

Building from the conceptual model for hybrid energy governance it proposes in Part I, this Article evaluates this governance form in action. In Parts II through IV, it provides detailed case studies of three sets of innovative institutions, analyzing whether their hybrid, regional regulatory structures and approaches help them to make substantive progress within an exceedingly complex energy system. Part II examines efforts by the Delaware River Basin Commission (DRBC) and Regional Citizen Advisory Councils (RCACs) to reduce the risks of hydraulic fracturing and deepwater drilling. Part III considers initiatives by the North American Electric Reliability Corporation (NERC) and its regional entities to maintain the reliability of the electricity grid as needed upgrades and smart grid computerization take place. Part IV analyzes initiatives by regional transmission organizations (RTOs) to integrate renewable energy onto the physical grid and into energy markets. After an in-depth discussion of each set of institutions, the Article in Part V assesses the benefits and limitations of hybrid, regional governance as a strategy for energy transformation.

Through its model and case studies, this Article makes important contributions to both the energy law and federalism literatures. Theoretically, it creates a new category for analysis—hybrid energy governance—and situates this category within a holistic understanding of energy federalism and governance. Its analytical approach provides an innovative model for how to translate dynamic energy federalism into needed institutional development. Practically, these institutional innovations are already occurring in areas critical to the future of the energy system but have not yet been analyzed in depth. This Article offers a needed assessment of how these institutional forms emerge, what they are achieving, and the benefits and limitations of their approach. This assessment could both make these institutions more effective and serve as a basis for expanding hybrid energy governance strategies into other contexts.

## I. CONCEPTUALIZING HYBRID REGIONAL GOVERNANCE

This Part provides the conceptual grounding for the rest of the Article's detailed case studies. It first explores the need for institutional innovation to address the complex challenges facing the U.S. energy system. It focuses in particular on the governance challenges of inadequate regulatory authority, fragmented regulatory authority, and integrating key public and private stakeholders into the process appropriately. The Part then draws from interdisciplinary governance theory to explain why hybrid institutions, in theory, are a promising way to meet that need. It proposes a model of hybridity designed to meet these governance challenges through (1) interaction across levels of government and the public and private

spheres; (2) regionalism, which forms a governance level between traditionally accepted levels, such as the local, state, and federal; (3) and enhanced participatory mechanisms.

#### A. *The Need for Institutional Innovation*

The energy system in the United States, which we mapped in *Dynamic Energy Federalism*,<sup>10</sup> is never static. As that Article describes in detail, this system consists of continuously interacting physical, market, and regulatory dimensions. A complex physical infrastructure of generation, sprawling transmission lines, and dense distribution networks deliver electricity to consumers. A multi-level regulatory framework both forms this physical structure and continuously re-molds it, demanding or dampening new types of fuels and generation sources and requiring transmission upgrades for reliability and the accommodation of new generation. The market, in turn, heavily influences fuel choice in electric generation and decisions about where and when to build new infrastructure.<sup>11</sup> All three parts of the system experience constant fluctuation as relevant technology evolves,<sup>12</sup> electricity consumers demand change in the form of cleaner and more affordable technologies,<sup>13</sup> and policies shift accordingly.<sup>14</sup>

These interactions within the tripartite energy system involve numerous public and private stakeholders at multiple levels of government.

---

<sup>10</sup> See *supra* note 6.

<sup>11</sup> See *id.*

<sup>12</sup> See, e.g., JOHN HAUER ET AL., NATIONAL TRANSMISSION GRID STUDY, ADVANCED TRANSMISSION TECHNOLOGIES at F-4 – F-5, F9 (2002), <http://certs.lbl.gov/ntgs/issue-6.pdf> (describing technologies such as flexible AC transmission systems (FACTS), which “balance the load between” certain lines, and computer and communication technologies called supervisory control and acquisition (SCADA) and energy management system (EMS), which provide better real-time data about electricity being demanded from the grid and available electricity generation. All of these technologies allow the grid to be operated closer to its maximum limits, but as this occurs, “knowing exactly where those limits are and how much operating margin remains becomes increasingly important”).

<sup>13</sup> See, e.g., Jesse Broehl, *Colorado Voters Pass Renewable Energy Standard*, *Renewable Energy World*, Nov. 3, 2004, <http://www.renewableenergyworld.com/rea/news/article/2004/11/colorado-voters-pass-renewable-energy-standard-17736> (last visited July 16, 2012); Anthony York, *Voters Reject Prop. 23, Keeping California’s Global Warming Law Intact*, *LA. TIMES POLITICAL*, <http://latimesblogs.latimes.com/california-politics/2010/11/voters-reject-prop-23-keeping-californias-global-warming-law-intact.html> (last visited July 16, 2012).

<sup>14</sup> See, e.g., Database of State Incentives for Renewables and Efficiency, *Renewable Portfolio Standard Policies* (June 2012), [http://www.dsireusa.org/documents/summarymaps/RPS\\_map.pdf](http://www.dsireusa.org/documents/summarymaps/RPS_map.pdf) (showing 29 states, the District of Columbia, and two territories with standards that require a certain percentage of electricity to come from renewable energy sources).

Understanding these interactions, and their implications for governance, requires a dynamic, holistic model of energy federalism; such a model both examines the nuances of interactions among and within levels of government—local, state, national, international, and regional ones in between. The model also considers how interactions in one part of the energy system, such as regulatory efforts by regional institutions to expand transmission, relate to other parts of the system, such as transmission line owners' market-based opposition to sharing the costs of expansion.<sup>15</sup>

This Section builds upon that approach to analyze how three specific governance concerns—inadequate jurisdictional authority, related concerns of overlapping or fragmented authority, and heavy involvement of private actors in energy governance—create the need for institutional innovation. First, any institution tasked with balancing the physical, market, and regulatory aspects of the U.S. energy system will, if not carefully designed, have inadequate authority. Because the system covers a wide geographic area with areas of uneven demand—for instance, there is concentrated energy use in population centers—it often implicates local, state, regional, and federal concerns. Yet many processes either fail to incorporate all of the key actors or fail to give them sufficient jurisdiction over an energy problem. For example, regional transmission organizations (RTOs), which in many parts of the country govern the flow of electricity through transmission lines and operate the lines, have some authority to plan for needed interstate transmission line expansion, but individual state and sometimes municipal governments retain jurisdiction over siting.<sup>16</sup>

Second, institutional arrangements that give actors inadequate authority over a problem also may produce both overlapping legal authority and fragmentation, leading to regulatory confusion at best, and inaction or inappropriate action at worst.<sup>17</sup> Often, the lack of authority described above results from separate regulatory entities having simultaneous control. Despite many entities controlling different aspects of a problem, combined, their jurisdiction is not sufficient to fully address the energy challenge. The above-mentioned example of inter-state transmission siting exemplifies this difficulty, with RTOs, states, and sometimes municipalities all having only a piece of the relevant authority. Challenges of fragmented and overlapping

---

<sup>15</sup> See *supra* note 6.

<sup>16</sup> See *id.*

<sup>17</sup> This challenge echoes the regulatory commons problem theorized by William Buzbee. This problem typically arises when impacts such as aquaculture or climate change cross jurisdictional boundaries, and multiple governments have some but not full responsibility for controlling the impacts. No one government has adequate authority or incentive to address the entire problem, and this creates a regulatory commons in which the regulation itself becomes ineffective. William W. Buzbee, *Recognizing the Regulatory Commons: A Theory of Regulatory Gaps*, 89 IOWA L. REV. 1 (2003).

authority also arise in identifying how much each region should have to pay for the costs of building new interstate transmission lines—a process called cost allocation. As with transmission siting, FERC is involved in shaping RTOs' planning for new transmission and efforts at cost allocation. It issues federal orders and RTO-specific conditions for how RTOs may allocate costs, for example. Yet individual states powerfully influence the cost allocation scheme ultimately agreed-upon, and, FERC, like RTOs, lacks meaningful influence in the siting of these new lines.<sup>18</sup>

The simultaneous fragmentation and overlap obscures the gaps in energy governance and complicates efforts to fully address problems, requiring each actor to fully understand the other's role and recent actions taken and then to change its own approach to either avoid redundancy or fill in gaps. This demands much of institutions already struggling to address their own complicated sphere of energy problems; expecting them to further change their behaviors to accommodate deficiencies or approaches of other actors may be too much to ask of resource-limited institutions.<sup>19</sup>

These problems of legal overlap and fragmentation also raise questions about the how to structure the decision-making hierarchy among the many actors involved and about how cooperative the key actors are on a particular energy issue. The multiplicity of actors within energy institutions—actors from many levels—can lead to competing hierarchies. For example, in the context of deepwater drilling, even though a National Contingency Plan ostensibly controlled the response to the BP *Deepwater Horizon* oil spill, states and localities asserted jurisdiction in many stages of the response efforts, and sub-groups of federal agencies made decisions about closing fisheries and applying dispersants. With respect to agreement among the actors with partial authority to decide, the many parties often cooperate at one point in time and conflict at other points. For instance, states and municipalities may support an RTO decision to expand a transmission line and even to site it within their jurisdiction, but they may vehemently oppose the allocation of transmission line costs to their utility customers.<sup>20</sup>

In a final structural governance challenge, private entities often play an important role in the relevant publicly-established institutional structure, which raises the potential for capture. For example, oil corporations, such as BP, are key players in spill responses, in part because of the National Contingency Plan structure and in part because of their expertise and control over site access. In the contexts of electric reliability and the expansion of transmission lines, utilities are members of RTOs that plan for

---

<sup>18</sup> See *supra* note 6.

<sup>19</sup> See *id.*

<sup>20</sup> See *id.*

transmission; they also are members of regional entities that propose and sometimes enforce reliability standards, and have an important say in these organizations' decisions. These private entities play a crucial role in providing the technical information and institutional knowledge necessary for these decisions—utilities may best know the real threat of cyberattacks, for example, and thus the needed mechanisms to prevent such an attack, and they are highly aware of transmission constraints and needed expansion. Yet, despite procedural safeguards against conflicts within these institutions, private entities may sometimes have too much influence within a decisionmaking process.<sup>21</sup>

*Dynamic Energy Federalism*, in addition to introducing these structural challenges and their interaction with the tripartite energy system, proposes dynamic federalism principles for energy governance, which guide this Article's institutional analysis and assessment. Specifically, that article argues that these institutions must: (1) create needed regulatory authority; (2) reduce fragmentation of regulatory authority; and (3) provide high levels of involvement from key public and private stakeholders that allow for meaningful input without capture. These principles call for creating institutions that incorporate actors from all levels of government affected by an energy issue, address overlap and fragmentation through defining hierarchical relationships within these institutions, and better integrate public and private stakeholders.

#### *B. The Potential for Hybridity to Help Ameliorate Governance Challenges*

In order to explore how to design institutions in line with these principles, this Article analyzes three sets of institutions, each of which focuses on one of the substantive challenges of core energy transformation outlined in the Introduction: improving risk governance in fuel extraction, maintaining grid reliability in the face of changing technology, and connecting more renewable energy sources to the grid. The institutions described in Parts II through IV, all of which have taken steps to foster needed substantive change in the energy system, have also developed mechanisms that begin to navigate the governance challenges described in *Dynamic Energy Federalism* by incorporating the needed governance strategies identified there. Namely, they help to constitute adequate authority over an energy issue, address regulatory overlap and fragmentation by defining hierarchies and encouraging better and more efficient communication among actors at multiple governance levels, and include key public and private stakeholders.

---

<sup>21</sup> *See id.*

These institutions have limitations, but three patterns emerge as they incorporate some of these governance strategies. These patterns may provide examples for broader paths forward in energy governance that comport with the principles discussed in the previous Section, and together, they form a model for hybrid energy governance.

First, all of the institutions are, at least in part, hybrids that combine many key actors at different levels of government. To understand this aspect of hybridity, it is useful to envision different governance levels as residing along a vertical axis, from the sublocal to the international, and actors within each governance level as occupying a horizontal axis (such as state public utility commissioners acting together within an institution). Hybrid institutions vertically combine multiple levels of governance and require horizontal cooperation among a number of actors at each level, including regulated utilities. These institutions also typically include private actors either as voting members or give them the power to influence outcomes; they are therefore also hybrid in their combining of public and private interests.

Our conception of hybridity is informed by recent scholarship on legal pluralism focused on how to construct institutions that can manage overlapping legal regimes and norms. Legal pluralism generally explores situations in which more than one legal and/or normative order is present, including, for example, local or community-based norms for resource development and a regulatory regime that formally limits the amount of resource that may be extracted. In the international law context in particular, global legal pluralism has created models for how this multiplicity can be institutionally managed, which include some proposals for creating hybrid institutions.<sup>22</sup> In addition, we build from complementary work by Jody Freeman and Jim Rossi on U.S. domestic administrative law exploring agency coordination in the face of pervasive “overlapping and fragmented delegations.”<sup>23</sup>

---

<sup>22</sup> See, e.g., Paul Schiff Berman, *Global Legal Pluralism*, 80 S. CAL. L. REV. 1155 (2007) (analyzing a variety of pluralist models); see also Diane Marie Amann, *Calling Children to Account: The Proposal for a Juvenile Chamber in the Special Court for Sierra Leone*, 29 PEPP. L. REV. 167 (2001); Elena A. Baylis, *Parallel Courts in Post-Conflict Kosovo*, 32 YALE J. INT’L L. 1 (2007); Paul Schiff Berman, *Global Legal Pluralism*, 80 S. CAL. L. REV. 1155 (2007); William W. Burke-White, *International Legal Pluralism*, 25 MICH. J. INT’L L. 963 (2004); Janet Koven Levit, *A Bottom-Up Approach to International Lawmaking: The Tale of Three Trade Finance Instruments*, 30 YALE J. INT’L L. 125 (2005); Ralf Michaels, *The Re-State-Ment of Non-State Law: The State, Choice of Law, and the Challenge from Global Legal Pluralism*, 51 WAYNE L. REV. 1209 (2005).

<sup>23</sup> See, e.g., Jody Freeman & Jim Rossi, *Agency Coordination in Shared Regulatory Space*, 125 HARV. L. REV. 1131 (2012).

Throughout this Article's case analysis, we consider how institutional hybridity can help to coordinate among multiple public and private orders within shared regulatory space. For instance, in the first context of managing the risks of unconventional fuel extraction, Regional Citizens Advisory Councils (RCACs) allow for informal norms of communities, nongovernmental organizations, and corporations to be brought together with the government-driven regulatory process. Or, in our third example of integrating renewables onto the electricity grid, RTOs can help harmonize the state and local land use regimes that control transmission siting with larger-scale planning processes to build new transmission lines.

These hybrid institutions all have significant regional components, which provide the second element of our governance model. These regional structures exist between two vertical governance levels (e.g., state and federal), and they help to combine the partial authority at state and federal levels to make meaningful progress. This regional structure also pulls together multiple actors at one governance level (e.g., state); although this can lead to cooperation and conflict, it enables governments to effectively address energy issues, most of which cross state borders. This regional scaling creates a needed authority bridge between levels of government.

Regional regulation within the United States is a well-established means of drawing regulatory spaces between local, state, federal, and international authority. Broad literatures have emerged in both the law and geography fields to describe and analyze this governance approach. They consider the nature of the regional scale, its benefits and limitations, and how it interacts with other levels of government.<sup>24</sup> We draw from this scholarship as we explore how the regional dimensions of these institutions impact their regulatory role and capacity to address governance challenges.

Third, all of the institutions not only include both private and public actors, but also provide for *significant* public and private stakeholder involvement in the regulatory process; they include utilities, energy companies, and other entities as voting members or key stakeholders. Although the mechanisms for input vary significantly across these entities, they form an important component of the governance process in each instance.

---

<sup>24</sup> See, e.g., Noah D. Hall, *Toward A New Horizontal Federalism: Interstate Water Management in the Great Lakes Region*, 77 U. COLO. L. REV. 405 (2006); Felix Frankfurter & James M. Landis, *The Compact Clause of the Constitution—A Study in Interstate Adjustment*, 34 YALE L. J. 685, 696–98 (1925); Robin Kundis Craig, *Constitutional Contours for the Design and Implementation of Multistate Renewable Energy Programs and Projects*, 81 U. COLO. L. REV. 771, 771 (2010); Hannah Wiseman, *Expanding Regional Renewable Governance*, 35 HARV. ENVTL. L. REV. 477 (2011).

Recent scholarship on new governance informs the Article's assessment of how hybrid structures can be designed to include stakeholders effectively and appropriately. New governance views regulation not as solely top-down, public control by state and federal agencies with central authority, but rather as an ongoing and ever-changing relationship—often one of negotiation and compromise—between agencies, regulated entities, and other stakeholders. Professors Kenneth W. Abbot and Duncan Snidal, for example, have contrasted new governance approaches with traditional ones as state-orchestrated instead of state-centered; as decentralized instead of centralized; as drawing from dispersed expertise, including business knowledge, instead of bureaucratic expertise; and as combining hard and soft law, such as elements of industry-developed standards, rather than focusing exclusively on mandatory rules.<sup>25</sup> The institutions in the case examples have many of these qualities, which assist their role in navigating federalism and governance challenges, as explored in the following Parts.

Together, legal pluralism, regionalism, and new governance help to frame the model of hybrid energy governance proposed here: a model of hybrid institutions that include both private and public actors from state, local, and federal levels; that typically exist within a regional space between these governance levels; and that allow a number of stakeholders to participate in decisionmaking processes in meaningful ways. As explored in the Parts that follow, the combination of these approaches within an institutional hybrid, paired with mechanisms to allow for flexibility, provide new insights. These Parts provide examples of institutions that have followed this model as they address modern substantive energy challenges, exploring how well these governance approaches work when applied to real, complex energy problems.

## II. ADDRESSING RISKS AND INEQUALITY IN UNCONVENTIONAL FUEL DEVELOPMENT: REGIONAL STRUCTURES FOR CITIZEN PARTICIPATION

As private actors develop new technologies<sup>26</sup> to satisfy Americans' enduring thirst for an unlimited and uninterrupted energy supply—and,

---

<sup>25</sup> Kenneth W. Abbott & Duncan Snidal, *Strengthening International Regulation Through Transnational New Governance: Overcoming the Orchestration Deficit*, 42 VAND. J. TRANSNAT'L L. 501, 508–09 (2009). For additional examples of new governance approaches, see Bradley C. Karkkainen, "New Governance" in the Great Lakes Basin: *Has Its Time Arrived?*, 2006 MICH. ST. L. REV. 1249, 1254–55 (2006); J.B. Ruhl & James Salzman, *Climate Change, Dead Zones, and Massive Problems in the Administrative State: A Guide for Whittling Away*, 98 CAL. L. REV. 59, 102–08 (2010).

<sup>26</sup> Even technological progress in the extraction is far from purely private. The government subsidizes the expensive technologies needed for unconventional development through tax exemptions or other subsidy mechanisms, and it also directly funds research—often public-private ventures—through organizations such as the National Energy Technology Laboratory. See, e.g., Natl. Energy Technology Laboratory, Obama Administration

increasingly, a demand for domestic sources—onshore unconventional oil and gas development<sup>27</sup> and deepwater drilling<sup>28</sup> have emerged as prevalent technologies. These have introduced new risks and new environmental justice concerns, often in rural contexts, and have pushed at the boundaries of existing energy governance. A focus on how to manage these risks and fairness concerns effectively is critical because the pressures to augment domestic supply and achieve energy independence are unlikely to decline. Even if we produced all of our fuel domestically, a scenario that has become more realistic with recent technological advances, we could not avoid the inevitable echoes of a global fossil fuel market<sup>29</sup> and would not be immune from price swings and certain ongoing trade disputes.<sup>30</sup> This Part focuses on possibilities for governance innovation to address these

---

Announces New Partnership on Unconventional Natural Gas and Oil Research, Apr. 13, 2012,

[http://www.netl.doe.gov/publications/press/2012/120413\\_obama\\_administration.html](http://www.netl.doe.gov/publications/press/2012/120413_obama_administration.html).

<sup>27</sup> See, e.g., Will Smale, *Shale Will Free U.S. From Oil Imports, Says ex-BP Boss*, BBC, July 13, 2012, available at <http://www.bbc.co.uk/news/business-18828714> (last visited July 16, 2012) (describing the large amounts of unconventional oil and gas obtained from onshore shales in the United States using hydraulic fracturing); U.S. Env'tl. Protection Agency, Proposed Amendments to Air Regulations for the Oil and Natural Gas Industry at 2 (2011), <http://www.epa.gov/airquality/oilandgas/pdfs/20110728factsheet.pdf> (explaining that approximately 11,400 new gas wells are fractured in the United States each year and that approximately 14,000 are refractured).

<sup>28</sup> John M. Broder & Clifford Krauss, *U.S. in Accord with Mexico on Drilling*, N.Y. TIMES, (explaining a U.S.-Mexican agreement on the regulation of offshore drilling in the gulf may “open more than a million acres to deepwater drilling”).

<sup>29</sup> See JOHN S. DUFFIELD, *OVER A BARREL: THE COSTS OF U.S. FOREIGN OIL DEPENDENCE* 27 (2008). Duffield notes that even if the United States did not import any oil, our “economy could still be greatly affected by developments abroad” because of the linkage between domestically produced oil and global markets—including global prices.

<sup>30</sup> See *id.* Ultimately, regardless of where we produce oil and gas, these are global goods. If we extract more here and rely less on imports, we might enjoy short-term energy security by avoiding the need to intervene in foreign countries in order to secure current access to fuel. But if we remain concerned about price spikes, other countries’ reliance on enemies’ fuel sources, and the maintenance of a relatively steady global supply of fossil fuel for our allies, expanded domestic production may do little to change America’s foreign policy stance and its interest in overseas supplies. That said, if we became a net energy exporter, this would certainly give us more bargaining power in a number of disputes and could potentially avoid some of the violent conflicts that have been associated, at least in part, with oil and gas. See, e.g., Richard Pierce, *Natural Gas: A Long Bridge to a Promising Destination*, \_\_ UTAH ENVTL. L. REV. \_\_, 9 (forthcoming 2011), available at <http://ssrn.com/abstract=1945412> (“The shale gas boom will . . . have significant beneficial effects on geopolitical conditions by, for instance, reducing Russia’s leverage over Europe attributable to Gazprom’s dominance of the European gas market, reducing Iran’s leverage over India attributable to India’s heavy reliance on energy supplies from Iran, and eliminating completely the risk that Russian President Vladimir Putin will be successful in his efforts to create a natural gas version of the OPEC cartel.”).

concerns. It begins by exploring the substantive and regulatory problems arising in the context of fuel extraction, and then turns to an examination of hybrid, regional institutions working to address these problems.

#### *A. Problems of Risk and Inequality in Fuel Extraction*

The combination of drilling and hydraulic fracturing to extract gas and oil from shale and other lower permeability formations (broadly described as shale gas and oil development), has expanded monumentally in recent years,<sup>31</sup> and specific fracturing technologies have changed. Energy companies have applied larger volumes of water and, in some cases, new chemicals to wells—particularly in unconventional formations such as shales and tight sands<sup>32</sup>—to produce surprising quantities of domestic natural gas and oil.<sup>33</sup> While advances in drilling and hydraulic fracturing in these formations have promised cheaper and abundant domestic supplies, they have introduced noticeable risks. Chemical spills, stored wastes, and inadequately treated wastewaters can pollute surface or underground resources.<sup>34</sup> Improperly-constructed wells can send methane into nearby water wells during the drilling process,<sup>35</sup> and over-withdrawals of water for

---

<sup>31</sup> See Env'tl. Protection Agency, *supra* note 14, at 2; Hannah Wiseman, *Risk and Response in Fracturing Policy*, 84 U. COLORADO L. REV. 101, 107 (2013), available at [http://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=2017104](http://papers.ssrn.com/sol3/papers.cfm?abstract_id=2017104) (describing how the number of fractured wells in Pennsylvania rose by more than three-hundred percent between 2008 and 2009); Hannah Wiseman, *Fracturing Regulation Applied*, DUKE ENVTL. L. & POLICY FORUM 361, 362 (2012) (describing the first “slickwater” fracture treatment in the Barnett Shale in the 1990s).

<sup>32</sup> See Wiseman, *Fracturing Regulation*, *supra* note 16, at 362 (describing the different technologies used in slickwater fracturing for shales and tight sands, as compared to coalbed methane fracturing).

<sup>33</sup> Energy Information Admin., What Is Shale Gas and Why Is It Important?, [http://205.254.135.7/energy\\_in\\_brief/about\\_shale\\_gas.cfm](http://205.254.135.7/energy_in_brief/about_shale_gas.cfm) (last visited July 12, 2012) (projecting “U.S. natural gas production to increase from 21.6 trillion cubic feet in 2010 to 27.9 trillion cubic feet in 2035, a 29% increase,” nearly all of which will result from shale gas production); North Dakota Dept. of Mineral Resources at 3, [http://www.ndoil.org/image/cache/NDPCAnnual092111\\_2.pdf](http://www.ndoil.org/image/cache/NDPCAnnual092111_2.pdf) (showing record numbers of new well permits issued in recent years, which, as shown by the remainder of the report, is due largely to production of oil from the Bakken Shale),

<sup>34</sup> Despite the outpouring of attention to the potential for contamination of underground water supplies—and proven incidents of, for example, surface oil and gas pits in New Mexico polluting these supplies—the majority of risks appear to arise at the surface based on incidents at shale gas and tight sands sites so far. See generally Wiseman, *Risk and Response*, *supra* note 31 (characterizing the risks based on state enforcement of environmental regulations at shale gas and tight sands sites); Hannah Wiseman, *Fracturing Regulation Applied*, 22 DUKE ENVTL. L. & POLICY FORUM 361 (2012) (summarizing the risks and providing additional examples of enforcement).

<sup>35</sup> See Hannah J. Wiseman & Francis Gradijan, Regulation of Shale Gas Development, Including Hydraulic Fracturing at 51, n. 173, White Paper originally prepared for the

fracturing can negatively impact stream flow. As more wells are drilled, habitats are fragmented, air pollutants increase, soil erodes and pollutes surface waters, and trucks damage roads.<sup>36</sup>

Many of these risks are local: Air pollutants from drilling and fracturing may not drift far, and neighbors typically experience the brunt of the noise and dust. Others, however, have both local and regional impacts: Soil erosion, chemical spills, and improper storage and disposal of wastewater can pollute waters shared by several states, and emissions of greenhouse gases from drilling equipment, wastewater, and leaked methane have global effects.<sup>37</sup>

Regardless of the extent to which effects cross jurisdictional lines, many citizens have objected to what they view as an unfair distribution of burdens.<sup>38</sup> Municipalities in New York<sup>39</sup> and some in Pennsylvania have banned hydraulic fracturing<sup>40</sup> (with bans in Pennsylvania having only symbolic value<sup>41</sup>), and government officials have complained of their inability to adequately influence the pace and location of development. Around the country, neighbors of property owners who leased mineral

Energy Institute, University of Texas, *available at* [http://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=1953547](http://papers.ssrn.com/sol3/papers.cfm?abstract_id=1953547) (describing gas migration incidents located through public records requests).

<sup>36</sup> For an attempt to summarize many of the risks, *see generally* Wiseman, *Risk and Response*, *supra* note 31.

<sup>37</sup> For relatively comprehensive summaries of effects and their likely geographic distribution, *see* David Spence, David B. Spence, *Federalism, Regulatory Lags, and the Political Economy of Energy Production*, \_\_ U. PA. L. REV. \_\_ (forthcoming 2012), *available at* [http://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=2017280](http://papers.ssrn.com/sol3/papers.cfm?abstract_id=2017280); Wiseman, *Risk and Response*, \_\_, *supra* note 31.

<sup>38</sup> *See, e.g.*, Eliza Griswold, *The Fracturing of Pennsylvania*, N.Y. TIMES MAGAZINE, Nov. 17, 2011, *available at* [www.nytimes.com/2011/11/20/magazine/fracking-amwell-township.html?pagewanted=all](http://www.nytimes.com/2011/11/20/magazine/fracking-amwell-township.html?pagewanted=all) (last visited July 17, 2012) (describing some township residents' objections to fracturing and its impacts).

<sup>39</sup> Pamela Chergotis, *Highland is the Latest Town to Ban Fracking*, PIKE COUNTY COURIER, July 12, 2012, <http://pikecountycourier.com/apps/pbcs.dll/article?AID=/20120712/NEWS01/120719968/Highland-is-the-latest-town-to-ban-fracking--> (last visited July 16, 2012) (describing four New York towns in the Delaware River watershed that have banned fracturing).

<sup>40</sup> Tony Romeo, *Bans on Drilling in Bucks, Montgomery Counties Stirs Controversy*, CBS Philly, July 3, 2012, <http://philadelphia.cbslocal.com/2012/07/03/ban-on-drilling-in-bucks-montgomery-counties-stirs-controversy/> (last visited July 16, 2012).

<sup>41</sup> *See* 58 PA. STAT. 3304 (b) (West 2012) (providing that "all local ordinances regulating oil and gas operations shall allow for the reasonable development of oil and gas resources," shall allow well operations, may not impose conditions on oil and gas operations more stringent than limitations on other industrial uses within the local jurisdiction, and[s]hall authorize oil and gas operations . . . as a permitted use in all zoning districts."). *But see* *Robinson Township v. Pennsylvania Public Utility Comm'n.*, Commonwealth Court of Pennsylvania (2012) (invalidating the preemption).

rights and allowed drilling and fracturing have sued, alleging groundwater contamination and other health effects. Some environmental groups<sup>42</sup>—indeed, even several states—have called for closer attention to risks, more precautionary regulation, and at least temporary moratoria on fracturing.<sup>43</sup> From a market perspective, others have questioned the federal government’s continued subsidization of this practice, arguing that it encourages and makes artificially cheap a damaging practice that already is common.<sup>44</sup>

Like shale gas and oil development, deepwater drilling and spills resulting from it take place at the outer boundaries of our technical capabilities and regulatory capacity and raise major concerns about the distribution of energy burdens. Technology developments have allowed deepwater drilling to expand dramatically in the last decade, which has brought with it the challenges of working at the high pressures and temperature differentials thousands of feet below the surface; some operations are now reaching oil as deep as 30,000 feet below the surface.<sup>45</sup> The need to control these operations remotely from the surface paired with sometimes unstable geologic formations adds further complications.<sup>46</sup>

---

<sup>42</sup> See, e.g., Earthworks, Oil and Gas Accountability Project, *Our Drinking Water at Risk* (2005), <http://www.earthworksaction.org/files/publications/DrinkingWaterAtRisk.pdf>; Nat. Resources Defense Council, *Risky Gas Drilling Threatens Health, Water Supplies*, <http://www.nrdc.org/energy/gasdrilling/> (last visited July 16, 2012).

<sup>43</sup> See Jim Efstathiou, *New Jersey Lawmakers Send Christie Ban on Hydraulic Fracturing*, Bloomberg, June 30, 2011, <http://www.bloomberg.com/news/2011-06-30/new-jersey-lawmakers-send-christie-ban-on-hydraulic-fracturing.html>; *Vermont First State to Ban Hydraulic Fracturing*, CNN News, May 17, 2012, [http://articles.cnn.com/2012-05-17/us/us.vermont-fracking\\_1\\_fracking-shale-natural-gas?\\_s=PM:US](http://articles.cnn.com/2012-05-17/us/us.vermont-fracking_1_fracking-shale-natural-gas?_s=PM:US) (last visited July 16, 2012); Maryland Dep’t of the Environment, *The Marcellus Shale Safe Drilling Initiative*, [http://www.mde.state.md.us/programs/Land/mining/Non%20Coal%20Mining/Documents/Shale\\_EO\\_factsheet\\_061011.pdf](http://www.mde.state.md.us/programs/Land/mining/Non%20Coal%20Mining/Documents/Shale_EO_factsheet_061011.pdf) (describing a three-part study in Maryland on fracturing risks); New York Dep’t of Env’tl. Conservation, *New Recommendations Issued in Hydraulic Fracturing Review*, June 30, 2011, <http://www.dec.ny.gov/press/75403.html> (describing New York’s extensive process to review the risks of shale gas development, after which “the Department will implement a system of oversight, monitoring and enforcement”).

<sup>44</sup> See, e.g., cf. Helen Cooper and Jonathan Weisman, *Obama Seeks to End Subsidies for Oil and Gas Companies*, N.Y. TIMES, Mar. 1, 2012, available at <http://www.nytimes.com/2012/03/02/us/politics/obama-calls-for-an-end-to-subsidies-for-oil-and-gas-companies.html> (last visited July 16, 2012) (President Obama argued that “we can’t rely on fossil fuels from the last century”).

<sup>45</sup> Temperatures are very cold at seabed and very hot where the oil is located. See NAT’L COMM’N ON THE BP DEEPWATER HORIZON OIL SPILL & OFFSHORE DRILLING, REPORT TO THE PRESIDENT, DEEPWATER: THE GULF OIL DISASTER AND THE FUTURE OF OFFSHORE DRILLING, at 48, 51 (2011), available at <http://www.gpoaccess.gov/deepwater/deepwater.pdf>.

<sup>46</sup> See *id.* at 21, 41–52, 90–100 & 118–19; Mark A. Latham, *Five Thousand Feet and Below: The Failure to Adequately Regulate Deepwater Oil Production Technology*, 38 B.C. ENV. AFFAIRS L. REV. 343 (2011).

The 2010 BP *Deepwater Horizon* spill reinforced these risks. It resulted in nearly five million barrels of oil spilling into the ocean, and containment efforts included usage of an unprecedented 1.8 million gallons of dispersants, some of which were applied deeper than ever before.<sup>47</sup> Key governmental and corporate actors struggled to contain the spill and accurately estimate the flow rate and volume of the spill, efforts that were hampered by their regulatory and physical dynamics;<sup>48</sup> these two problems interacted as underestimation of the spill rate undercut containment efforts.<sup>49</sup> The oil spilling out moved through currents and was affected by storms in difficult to predict ways, with the complexity of addressing the spill reinforced by the poorly understood deepwater location and dispersant use.<sup>50</sup>

The spill deeply affected a range of communities and interests, from luxury resorts to rural fishing groups to low-income communities of color, which predominantly bore the burden of the waste in their municipal land dumps.<sup>51</sup> Moreover, the ongoing ecological and human impacts of the 1989

---

<sup>47</sup> See Nat'l Comm'n on the BP *Deepwater Horizon* Oil Spill & Offshore Drilling, *Stopping the Spill: The Five-Month Effort to Kill the Macondo Well* (Staff Working Paper No. 6, 2010), available at <http://www.oilspillcommission.gov/sites/default/files/documents/Updated%20Containment%20Working%20Paper.pdf>; Nat'l Comm'n on the BP *Deepwater Horizon* Oil Spill & Offshore Drilling, *The Use of Surface and Subsea Dispersants During the BP Deepwater Horizon Oil Spill* (Staff Working Paper No. 4, 2010), available at <http://www.oilspillcommission.gov/sites/default/files/documents/Updated%20Dispersants%20Working%20Paper.pdf>; *One Year Later Press Pack*, RESTORETHEGULF.GOV (Apr. 10, 2011, 3:27 PM), <http://www.restorethegulf.gov/release/2011/04/10/one-year-later-press-pack>.

<sup>48</sup> NATIONAL COMMISSION REPORT, *supra* note 42, at 146–47; *Decision-Making Within the Unified Command* (Nat'l Comm'n on the BP *Deepwater Horizon* Oil Spill and Offshore Drilling, Staff Working Paper No. 2, at 12 (2010), available at <http://www.oilspillcommission.gov/sites/default/files/documents/Updated%20Unified%20Command%20Working%20Paper.pdf>).

<sup>49</sup> NATIONAL COMMISSION REPORT, *supra* note 42, at 129–71.

<sup>50</sup> *Id.* at 174–75, 182; see also Christopher M. Reddy, et al., *Composition and Fate of Gas and Oil Released to the Water Column During the Deepwater Horizon Oil Spill*, PNAS Early Edition, July 18, 2011, available at <http://www.pnas.org/content/early/2011/07/15/1101242108.full.pdf+html?with-ds=yes>; National Science Foundation, Press Release, Chemical Make-up of Gulf of Mexico Plume Determined, July 18, 2011, [http://www.nsf.gov/news/news\\_summ.jsp?cntn\\_id=120962&WT.mc\\_id=USNSF\\_51&WT.mc\\_ev=click](http://www.nsf.gov/news/news_summ.jsp?cntn_id=120962&WT.mc_id=USNSF_51&WT.mc_ev=click).

<sup>51</sup> Rebecca M. Bratspies, *supra* note 8, at 274 (describing “allegations that the majority of wastes generated from the cleanup of BP’s oil spill are being disposed of in communities of color”); Osofsky, *Multidimensional Governance*, *supra* note 8, at (explaining that 42.3 percent of the waste went to communities that had majority peoples of color and that 85.1 percent went to municipalities in which the percent of peoples of color in the community was higher than the percentage in the county (citing Robert D. Bullard, *Voices: Environmental Justice Communities Bear Brunt of BP’s Oil Spill Waste Disposal*, The

Exxon Valdez spill reinforce the impossibility of understanding the full impacts of oil spills in their immediate aftermath, especially in the less-pristine environment of the Gulf. After the spill, diverse stakeholders raised questions about the values and structures that should be included within drilling regulation and clean-up and compensation schemes. Many political and corporate leaders argued for quickly resuming offshore drilling despite its risks—citing to jobs and economic benefits—while deeply-rooted fishing, environmental, and tourist-based groups demanded caution and improved regulatory oversight. States that had resisted offshore drilling objected to the damage caused by a disaster that they did not create, highlighting the complicated externalities that can emerge from large, risky extraction projects. As with shale gas development, a number of actors also questioned the federal government's continued subsidization of offshore unconventional drilling.<sup>52</sup>

In both instances, these substantive risks interact with the complexities of the energy system to create acute governance challenges. However, the underlying federalism arrangements in these two contexts are strikingly different. Much of the law applicable to hydraulic fracturing is state-based—a confusing mix of common law property and statutory environmental and energy regulation—which raises serious issues for regionally-based operations and for the growth of this technique across the United States. In contrast, deepwater drilling is regulated largely at a federal level, but dynamics among federal agencies and between the federal entities and state and local government create difficulties.

With respect to the shale gas and oil context in which hydraulic fracturing takes place, some of the effects of on-shore drilling extend beyond jurisdictional borders, thus creating concerns about inadequate authority as well as fragmented and/or overlapping approaches to the issue. Drilling and fracturing rigs and other equipment at gas well sites can send air emissions beyond local or potentially state borders and can have important cumulative effects, yet the Clean Air Act does not cover all of these emissions.<sup>53</sup> To fill this gap, some states are monitoring and

---

Institute for Southern Studies (Apr. 23, 2011, 10:48 AM), <http://www.southernstudies.org/2011/04/voices-environmental-justice-communities-bear-brunt-of-bps-oil-spill-waste-disposal.html>).

<sup>52</sup> See NAT'L COMM'N ON THE BP DEEPWATER HORIZON OIL SPILL & OFFSHORE DRILLING, REPORT TO THE PRESIDENT, *supra* note 29; Osofsky, *Multidimensional Governance*, *supra* note 8; Hari M. Osofsky, Kate Baxter-Kauf, Bradley Hammer, Ann Mailander, Brett Mares, Amy Pikovsky, Andrew Whitney & Laura Wilson, *Environmental Justice and the BP Deepwater Horizon Oil Spill*, \_\_ N.Y.U. ENV'T'L L.J. \_\_ (forthcoming 2012).

<sup>53</sup> Env'tl. Protection Agency, Proposed Amendments to Air Regulations for the Oil and Natural Gas Industry, Fact Sheet at 2, <http://epa.gov/airquality/oilandgas/pdfs/20110728factsheet.pdf> (noting air emissions, such as carbon monoxide, not regulated in the final rule); Oil and Natural Gas Sector: New

regulating emissions at well sites; others are not.<sup>54</sup> Furthermore, when well operators send drilling and fracturing wastes to wastewater treatment plants, inadequately treated wastes from these plants could pollute rivers that run through multiple jurisdictions. The EPA has promised to develop wastewater treatment standards for these wastes, but these will not be in place until 2014.<sup>55</sup> In the meantime, regional river basin commissions have begun to address certain water quality problems; the Delaware River Basin Commission, for example, has proposed to require Commission approval of shale gas waste disposal through wastewater treatment plants.<sup>56</sup> Pennsylvania, in turn, has required treatment of shale gas wastewater prior to its disposal through treatment plants,<sup>57</sup> and has since requested that operators not send waste to any in-state treatment plants.<sup>58</sup>

The federal government, some states, and regional commissions, have attempted to regulate impacts on both air and water, but their simultaneous efforts leave gaps in authority; some harmful emissions may remain unchecked.<sup>59</sup> Furthermore, as all of these different authorities attempt to partially respond to a bigger problem—the broader environmental impacts caused by the thousands of new wells drilled as a result of advanced fracturing technologies<sup>60</sup>—they may engage in

Source Performance Standards and National Emission Standards for Hazardous Air Pollutants Reviews, EPA-HQ-OAR-2010-0505 (finalized Apr. 17, 2012), available at <http://www.epa.gov/airquality/oilandgas/pdfs/20120417finalrule.pdf> (regulating volatile organic compounds from wells).

<sup>54</sup> See, e.g., Tex. Comm'n. on Env'tl. Qu., Sampling Results Near Oil and Natural Gas Facilities by County, <http://www.tceq.texas.gov/toxicology/barnettshale/samplingresults>; Pa. Dept. of Env'tl. Protection, Northcentral Pennsylvania Marcellus Shale Short-Term Ambient Air Sampling Report, May 6, 2011, [http://www.dep.state.pa.us/dep/deputate/airwaste/aq/aqm/docs/Marcellus\\_NC\\_05-06-11.pdf](http://www.dep.state.pa.us/dep/deputate/airwaste/aq/aqm/docs/Marcellus_NC_05-06-11.pdf).

<sup>55</sup> EPA Announces Schedule to Develop Natural Gas Wastewater Standards, EPA (Oct. 20, 2011), <http://yosemite.epa.gov/opa/admpress.nsf/bd4379a92ceceac8525735900400c27/91e7fad4b114c4a8525792f00542001!OpenDocument>.

<sup>56</sup> Delaware River Basin Commission, Natural Gas Development Regulations, Revised Draft § 7.3(a)(2)(ii) (pages 20-21), Nov. 8, 2011, <http://www.nj.gov/drbc/library/documents/naturalgas-REVISEDdraftregs110811.pdf>.

<sup>57</sup> 25 PA. CODE § 95.10 (Westlaw 2012).

<sup>58</sup> Dan Hopey & Sean D. Hamill, *Marcellus Wastewater Shouldn't Go to Treatment Plants*, PITTSBURGH POST-GAZETTE, Apr. 19, 2011, available at <http://www.post-gazette.com/pg/11109/1140412-100-0.stm> (describing a request sent by the Pennsylvania Department of Environmental Protection to gas operators).

<sup>59</sup> For regulation, including a wastewater treatment standard to be proposed in 2014, an air quality standard that addresses volatile organic compounds, and additional state and regional efforts, see Wiseman, *Risk and Response*, *supra* note 31

<sup>60</sup> For a discussion of the likely impacts, see *supra* note 59.

overlapping, fragmented regulation that could be more efficiently conducted by one entity, such as a regional river authority or the EPA.

Deepwater drilling raises similar concerns despite a largely federally-based regime. Overlapping and incomplete authority, as well as issues of how to appropriately incorporate public and private stakeholders, arise both in offshore drilling regulation and in oil spill responses.<sup>61</sup> For example, in the aftermath of the BP *Deepwater Horizon* oil spill, the National Contingency Plan (NCP) governing the response included numerous federal agencies, as well as state and local government representatives. However, even at the federal level, this effort to consolidate and coordinate authority was incomplete. The Department of Energy was not included within the group even though it was very involved in the spill response. In addition, clusters of key agencies made decisions about fisheries closures and dispersants outside of the NCP process.<sup>62</sup> Moreover, the multiple levels of government involved in the response often added complexity. Governors early on claimed that the Stafford Act, which would give states control over the response, applied rather than the NCP. Particular substantive issues where smaller scale governments disagreed with the federal government also created conflict that made centralized control difficult. For instance, the Coast Guard tried to create a systematic approach to the placement of boom—physical barriers to the oil. But states resisted those decisions, and used their own regulatory authority and funds given to them from BP to place boom in ways that at times thwarted the Coast Guard’s efforts to match barriers to the greatest risks based on tidal currents.<sup>63</sup>

Finally, effective regulation of both shale gas and oil development and offshore drilling demands highly technical data. Authorities must understand the complicated technologies used, the geologic conditions encountered thousands of feet below ground or the ocean floor,<sup>64</sup> and the composition of the wastes created, among a number of other details, in

---

<sup>61</sup> For an in-depth discussion of these issues, see Hari M. Osofsky, *Multidimensional Governance and the BP Deepwater Horizon Oil Spill*, 63 FLORIDA L. REV 1077 (2011).

<sup>62</sup> See *Decision-Making Within the Unified Command* (Nat’l Comm’n on the BP *Deepwater Horizon* Oil Spill and Offshore Drilling, Staff Working Paper No. 2, 2010), at 8-9, *available at* <http://www.oilspillcommission.gov/sites/default/files/documents/Updated%20Unified%20Command%20Working%20Paper.pdf>; Osofsky, *Multidimensional Governance and the BP Deepwater Horizon Oil Spill*, *supra* note 61.

<sup>63</sup> See *Decision-Making Within the Unified Command*, *supra* note 62, at 17–20.

<sup>64</sup> See, e.g., HALLIBURTON, U.S. SHALE GAS: AN UNCONVENTIONAL RESOURCE, UNCONVENTIONAL CHALLENGES, [http://www.halliburton.com/public/solutions/contents/shale/related\\_docs/H063771.pdf](http://www.halliburton.com/public/solutions/contents/shale/related_docs/H063771.pdf) (2008) (describing differences among the shales and tight sands drilled and fractured).

order to identify and effectively address risks. Private actors possess most of this information and therefore must be involved in the regulatory process. Because many of these private actors are large, international energy companies with sophisticated revolving-door relationships with agencies and policymakers, the risk of capture is particularly high. In the shale gas and oil context, for example, one of the major federal regulatory exemptions for hydraulic fracturing often is colloquially known the “Halliburton loophole”<sup>65</sup> because of industry communications with government actors prior to the passage of the exemption.<sup>66</sup> Similarly, following the BP Oil Spill, numerous accounts of industry influence in the well approval process showed that the Minerals Management Service cut corners in environmental review—in large part due to industry pressure to allow drilling to move forward quickly. This necessary but sometimes problematic inclusion of private actors within governance that addresses unconventional extraction risks demands an innovative hybrid approach, as do the authority-based challenges. The following sections discuss how institutions have begun to implement this approach and gauge the success of these techniques in both addressing risk and overcoming governance hurdles.

### *B. Regulatory Innovation through Hybrid Regional Structures*

As discussed in Section II.A, demand in the United States for cheap, domestic fuels has helped incentivize energy companies’ increasing reliance on risky technologies to extract these fuels. Shale gas and oil drilling and hydraulic fracturing, and offshore drilling, in particular, have emerged as dominant extraction techniques. The failed BP well in the Gulf of Mexico caused widely-dispersed pollution and sweeping economic and environmental damage, while the many stages of well development in shales have transformed communities and caused road damage, surface spills, and local air quality and water use concerns, among many other effects.<sup>67</sup> As these technologies continue to expand, new mechanisms will be needed to control risk in a way that equitably distributes the burdens of energy development; gives individuals, local, and state governments some degree of control over the externalities of development; and incorporates a range of competing values, from tourism and natural resource-based industries that demand environmental protection to rig workers who demand steady work.

---

<sup>65</sup> See, e.g., *The Halliburton Loophole*, N.Y. TIMES, Nov. 9, 2009.

<sup>66</sup> See Hannah Wiseman, *Untested Waters: The Rise of Hydraulic Fracturing in Oil and Gas Production and the Need to Revisit Regulation*, 20 FORDHAM ENVTL. L. REV. 115, 181 (2009).

<sup>67</sup> See *supra* note 59.

This Section focuses on two institutions that have taken steps toward these goals while navigating the complexities of energy governance. Like most of the hybrid institutions described in this Article, these institutions emerged, or made substantial modifications to existing structures or rules, in response to pressing energy challenges. In the context of shale gas development, as energy companies leased minerals in anticipation of drilling and fracturing in the Delaware River watershed,<sup>68</sup> the DRBC, an existing regional institution, proposed to expand its regulatory activities to address drilling and fracturing within its watershed. RCACs, in turn, serve as an important institutional response to oil spill risks, and they emerged in response to a dramatic oil spill. The Section describes each type of institution and explores how its unique structure drives its response to both substantive and structural challenges.

### 1. Introducing Comprehensive Regulation and Expanding Stakeholder Involvement to Prevent and Address Risk

The DRBC, established in 1961, originally formed because of growing legal disputes among states within the Delaware River watershed, which culminated in a 1954 Supreme Court decision allocating certain quantities of water to each state.<sup>69</sup> Rather than continuing to litigate water disputes, the states, with Congress's approval, entered into a compact designed to address "demands upon the waters and related resources of the basin, which were then expected to "mount rapidly" as a result of rising population."<sup>70</sup>

The DRBC's recent regulations and proposals to expand RCACs into the Gulf region for input both emerged as components of efforts to rein in the risks of unconventional fossil fuel extraction through a more comprehensive discussion of risk that involved diverse stakeholders. The DRBC includes a representative from each state within the watershed, as well as one federal representative from the Army Corps of Engineers. Just as in 1961 the Commission faced growing population pressures and

---

<sup>68</sup> See, e.g., *cf.* *New York v. Army Corps of Engineers*, Complaint, E.D.N.Y., May 31, 2011, at 3 (on file with Authors) (noting that "[p]romulgation of the DRBC Regulations is expected to result in the development of between 15,000 and 18,000 natural gas wells within the Basin").

<sup>69</sup> See Carol R. Collier, *The DRBC: Managing Interstate Water Conflicts Through Sound Science, Adaptation, and Collaboration*, at 1 (2004), <http://www.state.nj.us/drbc/library/documents/FisheriesOpEd-July2004.pdf> (noting that the Supreme Court decision "settled years of interstate conflict"); *State of New Jersey v. State of New York*, 347 U.S. 995 (1954) (authorizing diversions and appointing a River Master).

<sup>70</sup> *Delaware River Basin Compact* at 2 (1961), available at <http://www.state.nj.us/drbc/library/documents/compact.pdf>.

associated water uses and pollution, the twenty-first century introduced new threats to the river as energy companies began proposing to drill and fracture thousands of wells in the region.<sup>71</sup> In response to rising concerns that this activity would pollute the Delaware River, the Commission—which already had watershed-wide jurisdiction—proposed a sweeping set of regulations to address nearly every stage of anticipated gas development within the watershed. Although old, the Commission has taken on a daunting new task in writing comprehensive draft regulations in areas that may push the boundaries of its jurisdiction.

These regulations, which the Commission proposed in 2010, would constrain the number and location of gas sites within the watershed, require erosion and sedimentation controls at the sites, require sites to comply with the strictest of two setback requirements (state or regional) from water supplies, limit the quantity of water that may be withdrawn for drilling and fracturing, detail the methods by which drilling and fracturing wastes may be disposed of, and require pre-and post-drill testing of water. After publishing this long set of draft regulations, the Commission solicited extensive stakeholder input and issued final regulations, but it has not yet approved the document.

The proposed regulations would address risks, as well as the equity of risk distribution, in several important ways. First, by limiting the timing and quantity of water withdrawals for fracturing and preventing withdrawals that would overly reduce stream flow,<sup>72</sup> they would ensure that discrete communities did not bear the brunt of water-based impacts; depending on the surface water available, gas companies likely would have to separate withdrawals over time and spatially in order to avoid causing concentrated impacts in one area. Further, the regulations would give citizens claiming contamination from drilling and fracturing a powerful causal tool that many currently lack: By requiring water quality surveys prior to drilling and fracturing, the regulations would establish baseline levels of pollutants from which post-drill pollution could be compared. Finally, by regulating most stages of the drilling and fracturing process, the regulations better anticipate the many risks of development, although they still omit several important stages.

---

<sup>71</sup> See Delaware River Basin Comm'n., Revised Natural Gas Development Regulations at 1, Nov. 8, 2011, *available at* <http://www.nj.gov/drbc/library/documents/naturalgas-REVISEDdraftregs110811.pdf> (concluding that the regulations “are required for the immediate and long-range use of the water resources of the Basin” and that “natural gas development projects may have a substantial effect on the water resources of the Basin”).

<sup>72</sup> In addition to including minimum passby flow requirements, the regulations propose to prohibit “any alteration in flow that would impair a fresh surface water body’s designated best use.”

In the offshore oil context, Regional Citizen Advisory Councils (RCACs) emerged in response to a much more immediate threat than the potential for the drilling of new wells: this regulatory hybrid occurred in the aftermath of the Exxon Valdez spill, and many have called for similar institutions in the Gulf region following the BP *Deepwater Horizon* spill.<sup>73</sup> One concern that arose after the Exxon Valdez spill was the capacity for key stakeholders to have a meaningful voice in the decisionmaking process regarding oil tanker and spill management. The Oil Pollution Act of 1990, passed in response to that spill, established a statutory basis for the creation of two RCACs—one in the Prince William Sound region and the other in the Cook Inlet region—and guidelines for their membership to ensure diverse representation of important constituencies. A settlement with the key corporate actor Exxon funded these RCACs, adding a private component to this governmental response.<sup>74</sup>

The Cook Inlet RCAC, with thirteen members that represent local governments, native groups, and other groups impacted by the 1989 oil spill, has focused its efforts on improved spill prevention and response for the Inlet, including monitoring waters for signs of pollution.<sup>75</sup> The Prince William Sound RCAC, which has nineteen members, similarly represents key constituencies that were impacted by the 1989 oil spill and have an important stake in regional oil pollution prevention and marine protection.

<sup>73</sup> See NATIONAL COMMISSION REPORT, *supra* note 29, at 268–69 (2011); Zygmunt J.B. Plater, *Learning from Disasters: Twenty-One Years After the Exxon Valdez Oil Spill, Will Reactions to the Deepwater Horizon Blowout Finally Address the Systemic Flaws Revealed in Alaska?*, 40 ENVTL. L. REP. 11,041, 11,045–46 (2010), available at <http://www.elr.info/articles/vol40/40.11041.pdf> (citing Jim Carlton, *Bill Includes Citizens Oil Panel for Gulf, Arctic Coasts*, WALL ST. J. ONLINE, Aug. 2, 2010, [http://online.wsj.com/article/SB10001424052748703292704575393492820\\_269842.html](http://online.wsj.com/article/SB10001424052748703292704575393492820_269842.html)); Harlan Kirgan, *Biloxi Beach Event to Call for Citizen Group to Monitor Oil and Gas Activities in Gulf of Mexico*, GULFLIVE.COM (June 24, 2011, 6:56 AM), [http://blog.gulflive.com/mississippi-press-news/2011/06/biloxi\\_beach\\_event\\_to\\_call\\_for.html](http://blog.gulflive.com/mississippi-press-news/2011/06/biloxi_beach_event_to_call_for.html).

<sup>74</sup> See Plater, *Learning from Disasters*, *supra* note 73, 11,046 (2010), available at <http://www.elr.info/articles/vol40/40.11041.pdf> (citing Oil Pollution Act of 1990 § 5002(d), 33 U.S.C. § 2732(d) (2006)); Zygmunt J.B. Plater, *Facing a Time of Counter-Revolution—The Kepone Incident and a Review of First Principles*, 29 U. RICH. L. REV. 657, 700–01 (1995); William H. Rodgers, Jr., *The Most Creative Moments in the History of Environmental Law: “The Whats”*, 2000 U. ILL. L. REV. 1, 22–23 (citing E-mail from Zygmunt Plater, Professor, Bos. Coll. Law Sch., to William H. Rodgers, Professor, Univ. of Wash. Sch. of Law (Feb. 2, 1998) (on file with the *University of Illinois Law Review*)); George J. Busenberg, *Regional Citizens’ Advisory Councils and Collaborative Environmental Management in the Marine Oil Trade in Alaska* (unpublished manuscript), available at [http://www.allacademic.com/meta/p41678\\_index.html](http://www.allacademic.com/meta/p41678_index.html) (studying the two advisory councils’ impacts on policy change); *About Us*, COOK INLET REG’L CITIZENS ADVISORY COUNCIL, [http://www.circac.org/index.php?option=com\\_content&view=article&id=1&Itemid=9](http://www.circac.org/index.php?option=com_content&view=article&id=1&Itemid=9) (last visited Apr. 22, 2012); *Introduction*, PRINCE WILLIAM SOUND REG’L CITIZENS’ ADVISORY COUNCIL, <http://www.pwsrac.org/about/index.html> (last visited Apr. 22, 2012).

<sup>75</sup> *About Us*, COOK INLET REG’L CITIZENS ADVISORY COUNCIL, *supra* note 64.

In addition to its establishment through the OPA, the Prince William Sound RCAC is governed by a contract with the Alyeska Pipeline Service Company, which operates the trans-Alaska pipeline and the Valdez terminal. This contract provides funding so long as oil continues to flow through the pipeline (initially \$2 million a year and currently \$2.8 million a year), protects the RCAC's independence, and provides it with particular responsibilities.

The work of these councils has included numerous environmental and oil spill response research initiatives. For example, the Prince William Sound RCAC's responsibilities include: "reviewing, monitoring, and commenting on Alyeska's oil spill prevention and response plans, environmental protection capabilities, and actual and potential environmental impacts of terminal and tanker operations;" commenting on and participating in "monitoring and assessment of environmental, social, and economic consequences of oil-transportation activities, including comments on the design of measures to mitigate the impacts of oil spills and other environmental effects of terminal and tanker operations;" and increasing "public awareness of Alyeska's oil spill response, spill prevention and environmental protection capabilities, as well as the actual and potential environmental impacts of terminal and tanker operations."<sup>76</sup>

## 2. Aggressive and Inclusive Regionalism

In taking first steps toward controlling the risk of unconventional oil and gas development and of oil spills, the DRBC and RCACs have relied primarily upon existing or newly-formed regional structures. These regional approaches have helped these institutions navigate the horizontal and vertical dimensions of the energy system by pulling together several levels of government within a single decisionmaking process and encouraging horizontal cooperation among actors residing at parallel jurisdictional levels, such as towns, states, and tribes.

In proposing a sweeping set of regulations to address fracturing and drilling in its watershed, the DRBC has developed a new, heightened form of regionalism, envisioning itself as the arbiter among conflicting state regulations, the filler of federal regulatory gaps, and the fixer of risks of regional proportion. Specifically, it has proposed relatively stringent regulations that are, arguably, not directly rooted in a compact requirement. The Compact empowers the DRBC to "[e]stablish standards of planning, design, and operation of all projects and facilities in the basin which affect its water resources, including, thereto, water and wastewater treatment

---

<sup>76</sup> *Introduction*, PRINCE WILLIAM SOUND REG'L CITIZENS' ADVISORY COUNCIL, *supra* note *supra* note 64.

plants”<sup>77</sup> and to “assume jurisdiction to control future pollution and abate existing pollution in the waters of the basin” after investigation and a public hearing.<sup>78</sup> But several have questioned the authority of the Commission to interpret its jurisdictional mandate so broadly.

Despite lingering questions about the scope of DRBC authority and the effectiveness of the draft regulations, the use of a regional forum to control the risks of drilling and fracturing in the watershed may be a necessary tool for navigating the structural challenges of federalism in this context. Entities within the Delaware River Basin operate within a complicated jurisdictional space: States and municipalities (to a very limited extent) have authority over land use, and the state controls certain water withdrawals, the siting and drilling of oil and gas wells, and waste disposal practices for these wells. In applying environmental regulations to these wells and their wastes, states also must comply with some federal laws; when well operators send wastes to a wastewater treatment plant, for example, the federal Clean Water Act requires the plant to provide assurances to its state permitting authority that it will be able to adequately treat these wastes.

The proposed authority of the DRBC over gas well permitting would tread upon many of these local, state, and federal powers, and its regulations both navigate these governance levels and establish a new one for this context. Through its regulations, the institution explains that compliance with state law will in some cases satisfy DRBC requirements but lists the regional requirements that must be followed even in the event of conflict;<sup>79</sup> it also highlights certain federal requirements with which gas companies must comply, such as conducting a natural resources inventory with endangered species studies before obtaining Commission approval to withdraw water.<sup>80</sup> The regulations further call for a state-regional collaboration in carrying out the new requirements, enlisting state agencies to implement all of the regional requirements for well construction and operation.<sup>81</sup> The DRBC itself would issue water withdrawal permits and approve plans for wastewater disposal, and it would fund these new regulatory activities through various permitting and water withdrawal fees. Through this scheme, the DRBC relies on existing regulations from several

---

<sup>77</sup> Compact § 3.6(b); regulations at 7.1(b) (citing to Compact authorities).

<sup>78</sup> Compact § 5.2.

<sup>79</sup> Final regulations § 7.1(i).

<sup>80</sup> Final regulations at 22.

<sup>81</sup> § 7.1(i) (Noting that in accordance with the Compact, “the Commission will utilize and employ existing offices and rely upon agencies of the State of New York and the Commonwealth of Pennsylvania in their respective states in lieu of separately administering the construction and operation of individual natural gas wells and well pads.”)

governance levels while inserting new, independent regional authority between these two levels.

Unlike the DRBC, which has long regional roots, RCACs are a more recent regional innovation and have more diverse members, including key representatives of citizens and interest groups. Despite these differences, the Councils follow a similar path to the DRBC in navigating governance levels while addressing unconventional fuel extraction risks, however. As independent regional bodies, they comment on oil spill prevention plans and drilling designs that are ultimately approved by the federal government but also develop and provide direct monitoring and enforcement. And although the boards lack the formal regulatory authority enjoyed by the DRBC, many of their members wield considerable clout and have the potential to both influence federally-approved plans and bring strategies learned in the regional forum back to their own governments. The Cook Inlet RCAC Board of Directors, for example, has thirteen members, including representatives of the cities of Anchorage, Kenai, Homer, Seldovia, and Kodiak; the Kodiak Island Borough and the Kenai Peninsula Borough; and interest group representatives which include Alaska native organizations, its state chamber of commerce, environmental organizations, recreational groups, commercial fishing groups, and aquaculture associations. The Board also has ten ex-officio members from the U.S. Coast Guard, U.S. EPA, U.S. Forest Service, U.S. Bureau of Land Management, U.S. Bureau of Ocean Energy Management, Regulation and Enforcement (BOEMRE) (formerly the Minerals Management Service (MMS)), NOAA, Alaska Department of Environmental Conservation, Alaska Department of Natural Resources, Alaska Division of Homeland Security & Emergency Management, and the Mantanuska-Susitana Borough.

The Prince William Sound RCAC has a similar membership configuration. Its bylaws establish nineteen voting members, which include villages and cities, as well as nongovernmental entities that represent Alaska Natives, conservation, tourism, commercial fishing, and aquaculture. Specific members include: the Alaska State Chamber of Commerce, Alaska Wilderness Recreation & Tourism Association, Chenega Bay, Chugach Alaska Corporation, Cordova District Fishermen United, Kodiak Village Mayors Association, Oil Spill Region Environmental Coalition, Port Graham Corporation, Prince William Sound Aquaculture Corporation, Tatitlek, the cities of Cordova, Homer, Kodiak, Seldovia, Seward, Valdez, and Whitter, the Kenai Peninsula Borough, and the Kodiak Island Borough.<sup>82</sup>

---

<sup>82</sup> *Member Entities*, PRINCE WILLIAM SOUND REG'L CITIZENS' ADVISORY COUNCIL, <http://www.pwsrcac.org/about/members.html> (last visited Apr. 22, 2012).

By including a variety of locally-, regionally-, state-, and federally-based actors within a regional entity, the RCACs provide another important example of a hybrid institution that addresses a critical energy governance challenge while navigating vertical and horizontal axes. Indeed, because these regional institutions were newly formed in response to a specific concern, rather than emerging out of an old regional structure that did not anticipate the risks of unconventional development, they may have more success than the DRBC in addressing potential conflicts among the many governance levels involved in the councils.

### 3. Combining Stakeholder Input and Regional Approaches to Navigate Governance Challenges

Applying risky technologies to shales thousands of feet below dry land or the ocean floor involves a massive industrial operation with risks that could cross many jurisdictional boundaries. While incidents at drilled and fractured wells have primarily had localized effects, aquifer pollution from oil and gas wastes and air pollution can extend beyond the well site. And as the BP oil spill demonstrated, catastrophic events can have national impacts, sending tarballs onto distant beaches and wastes to local landfills thousands of miles from the spill.

Activities with these types of broad impacts can create regulatory voids over which no one entity asserts authority. In Pennsylvania, for example—a DRBC member state in which gas drilling and fracturing has boomed—the EPA worried that municipal treatment plants operating under federal Clean Water Act permits were not adequately treating fracturing wastes,<sup>83</sup> and the state, which was responsible for implementing the Act, initially resisted this claim.<sup>84</sup> Although the state has since responded, it has in some cases encouraged out-of-state disposal, thus potentially shifting the problem elsewhere rather than fully addressing it. The DRBC has proposed to fill this gap, at least for wells within its watershed, by requiring that gas companies obtain approval from the Commission before disposing of wastes and demonstrate treatability.<sup>85</sup>

---

<sup>83</sup> Letter from Shawn M. Garvin, Regional Administrator EPA Region III, to Michael Krancer, Secretary, Pennsylvania DEP, Mar. 7, 2011, [http://www.epa.gov/region3/marcellus\\_shale/PADEP\\_Marcellus\\_Shale\\_030711.pdf](http://www.epa.gov/region3/marcellus_shale/PADEP_Marcellus_Shale_030711.pdf).

<sup>84</sup> Letter from Michael Krancer, Secretary, Pennsylvania DEP, to Shawn M. Garvin, Regional Administrator EPA Region III, Apr. 6, 2011, [http://www.epa.gov/region03/marcellus\\_shale/Shawn\\_Garvin\\_Letter-April\\_6\\_2011.pdf](http://www.epa.gov/region03/marcellus_shale/Shawn_Garvin_Letter-April_6_2011.pdf).

<sup>85</sup> Draft regulations, *supra* note 51, at 84 (§ 7.6).

The DRBC, in writing regulations that may address inadequate authority and create interesting new hierarchies, also has strengthened the bottom-up element of the regulatory process. In proposing a comprehensive new regulatory regime for one type of energy extraction, the DRBC has gone to great lengths to incorporate stakeholder input—providing a notice of proposed rulemaking in the Federal Register, receiving and responding to more than 69,000 comments, holding three public hearings at different locations, and delaying the release of draft regulations in response to the outpouring of comments.<sup>86</sup>

In addition to the specter of regulatory gaps in the area of unconventional shale gas, several levels of government may claim jurisdiction over the problem, thus potentially creating overlapping and conflicting policies or hierarchical disputes. In Pennsylvania, for example, municipalities have attempted to zone out drilling and fracturing or place strict substantive limits on development activity despite state preemption.<sup>87</sup> Leaving most authority to the state provides regulatory uniformity and predictability, but it may create gaps in regulation; enforcement officials cannot be everywhere at once. Beyond municipal-state conflicts, regional and state authority over water withdrawals in Pennsylvania also has created confusing overlap.

The regional set of regulations proposed by the DRBC addresses concerns about hierarchical conflicts and overlap. With respect to hierarchy, if the regulations are implemented, municipalities in the watershed may benefit from them despite lacking independent regulatory authority over gas drilling; they could advocate for strict implementation of the regulations within their territory, for example. The regulations also clarify regulatory overlap in water withdrawal approvals, although they do not eliminate them: They provide, for example, that a gas company proposing to withdraw water from a stream must obtain approval for its water intake design from the Executive Director of the DRBC, the host state, and several federal agencies.<sup>88</sup>

The proposed regulations, although taking regionalism to a new level through their detailed control of many risks, also have substantial flaws. In an example of iterative cooperation and conflict not always

---

<sup>86</sup> Delaware River Basin Commission, DRBC Postpones Nov. 21 Special Meeting, Nov. 18, 2011, [http://www.nj.gov/drbc/home/newsroom/news/approved/20111118\\_newsrel\\_naturalgas.html](http://www.nj.gov/drbc/home/newsroom/news/approved/20111118_newsrel_naturalgas.html).

<sup>87</sup> See Susan Phillips, *Public Utility Commission Rejects Pittsburgh's Fracking Ban*, NATL. PUBLIC RADIO, Sept. 11, 2012, <http://stateimpact.npr.org/pennsylvania/2012/09/11/public-utility-commission-rejects-pittsburghs-fracking-ban/> (also discussing a PUC opinion against one county's drilling regulations).

<sup>88</sup> Final regulations at 57.

producing regulatory results, after participating in the drafting process, Delaware announced that it would vote against the proposed revised rules, citing the inadequacy of the rules for environmental protection.<sup>89</sup> New York, in turn, sued the federal representative on the DRBC and other federal agencies, arguing for federal review of the regulations.<sup>90</sup> And although the process was inclusive—eliciting more than 69,000 of stakeholder comments—a number of stakeholders similarly objected to the adequacy of the final regulations.<sup>91</sup> In the meantime, other regional commissions, such as the Susquehanna River Basin Commission, have allowed drilling and fracturing within their watersheds with regulations that tend to focus only on water withdrawals,<sup>92</sup> thus potentially subjecting certain areas to unfair levels of environmental burdens. This not-yet-resolved conflict, which has resulted in less regulation of risks, suggests that even institutions structurally positioned to bring stakeholders together may not be able to create consensus and achieve regulatory results.

Oil spills can create even more confusion, gaps and overlap, and conflict in governance. For example, as noted above, when the Coast Guard attempted to implement a comprehensive policy for placing oil-containing boom on the ocean after the BP spill, states insisted on following their own boom placement programs. This conflict was further complicated by private actors' involvement in placing booms and implementing other spill response efforts. Many parties had stakes in the response, and the hierarchy of response governance was not always clear, creating the threat of

---

<sup>89</sup> Susan Phillips, State Impact, As Delaware Announces No Vote on DRBC Regulations, Monday's Meeting in Doubt, <http://stateimpact.npr.org/pennsylvania/2011/11/17/as-delaware-sets-to-vote-no-on-drbc-regulations-mondays-meeting-in-doubt/>.

<sup>90</sup> Complaint, New York v. Army Corps of Engineers, May 31, 2011.

<sup>91</sup> See, e.g., Riverkeeper, We Are on the Road to Victory! Delaware River Basin Commission Cancels Fracking Vote!, Nov. 18, 2011, <http://www.riverkeeper.org/news-events/news/safeguard-drinking-water/frackinggas-drilling/drbc-cancels-fracking-vote/>.

<sup>92</sup> See Susquehanna River Basin Comm'n., Frequently Asked Questions (FAQs), [http://www.srbc.net/programs/natural\\_gas\\_development\\_faq.htm](http://www.srbc.net/programs/natural_gas_development_faq.htm) (noting that "SRBC does not regulate the capture, storage, transport, treatment, recycling or disposal of frac fluid wastewater"-- known as flowback or production fluids - from natural gas drilling and hydraulic fracturing (hydrofracing)" but that state agencies fill this role and that "SRBC's member states have the lead responsibility for regulating gas well drilling, including construction of drilling pads and access roads, water storage impoundments, well construction, and hydraulic fracturing (hydrofracing)" and that the SRBC does not directly regulate these activities but that state agencies fill this role). *Id.* (explaining that a consumptive water use "approval specifies the maximum daily quantity of consumptive water use"; metering, monitoring and reporting requirements; daily monitoring of quantities; sources of water transported to and from the site; and the fate of flowback and produced fluids in the first 30 days after hydraulic fracturing).

unnoticed gaps in response as well as unproductive or conflicting overlap.<sup>93</sup> RCACs, which bring together private actors and public entities from a range of governance levels to comment on spill response plans, could conceivably help to avoid these problems in the future.

Although existing RCACs are top down in their creation (by federal statute), these institutions also allow for bottom-up input and action by bringing together local, state, regional, tribal, and federal actors with fragmented and potentially overlapping jurisdiction over oil spills. Their participants include both public and private entities, and the Prince William RCAC has a contractual arrangement with a key corporation in the region. They thus constitute a regional, hybrid approach to governance that helps important participants play a constructive role in a complex regulatory process.

Assessments of the RCACs' work thus far both document their successes and indicate areas for improvement. Most promisingly, Professor George Busenberg concludes that "the councils have operated as institutional learning arrangements (by promoting the application of new ideas and information to policy decisions in this system)."<sup>94</sup> Busenberg finds that the differential funding of the two RCACs resulted in varying capacities, but that both councils have increased their ability to affect policy reforms by collaborating with other institutions.<sup>95</sup> Zygmunt Plater recommends that other deficiencies in the RCACs need to be addressed, however, both in these entities and in any others that are created; specifically, he highlights lack of subpoena power, the need to negotiate annual funds with industry, and co-optation of council members as significant barriers to RCAC effectiveness and independence.<sup>96</sup> Plater's critique highlights the regulatory capture concern that arises with significant private involvement in these hybrid regulatory structures.

---

<sup>93</sup> See *Decision-Making Within the Unified Command* (Nat'l Comm'n on the BP Deepwater Horizon Oil Spill and Offshore Drilling, Staff Working Paper No. 2, 2010), at 17–20, *available at* <http://www.oilspillcommission.gov/sites/default/files/documents/Updated%20Unified%20Command%20Working%20Paper.pdf>.

<sup>94</sup> See *id.* at 18–19.

<sup>95</sup> See Busenberg, *supra* note 74, at 18–20.

<sup>96</sup> Plater, *Learning from Disasters*, *supra* note 73, at 11,046. Plater's subsequent article that builds on this shorter piece provides more detailed analysis of citizen's councils, praising their accomplishments and analyzing challenges that they have faced. See Zygmunt J.B. Plater, *The Exxon Valdez Resurfaces in the Gulf of Mexico and the Hazards of "Megasytem Centripetal Di-Polarity,"* 38 B.C. ENV. AFFAIRS L. REV. 391, 409–15 (2011). For analysis of RCACs that summarizes the additional scholarly literature, see Mackenzie M. Consoer, *Risk Governance within Complex and Uncertain Environments: A Retrospective Analysis of the Regional Citizens' Advisory Councils in Alaska*, May 8, 2012 (draft manuscript on file with authors).

Although DRBC and RCACs operate in different contexts and diverge in their specific regulatory roles, they share in common the hybridity and regional focus that characterizes the institutional arrangements analyzed in this Part. In both cases, their unique structure and positioning allows them to make some progress in addressing both the substantive and governance challenges discussed in Part I; produce new regulatory strategies for risk reduction that reflect significant input from the people and entities that their approaches will affect. Despite these accomplishments, neither entity has had unmitigated success. As discussed further in Part V's assessment of success, states' critiques of the DRBC and Plater's RCAC concerns reflect genuine questions about whether regulations are accomplishing enough and the extent to which the RCACs' structure and process adequately prevents private capture.

### III. ENSURING GRID RELIABILITY AS TECHNOLOGY CHANGES: THE NERC EXAMPLE

As U.S. fuel extraction has dramatically changed and introduced new challenges, our secondary energy system—comprised of electricity generation, transmission, and distribution—also has experienced major transformations. These changes have been particularly acute with respect to the choice of fuels for electricity generation and the need to update and maintain a complex, aging transmission grid. Our movement toward an increasingly centralized electricity system, in which we generate electricity far from its point of use, magnifies these concerns and increases the risk of grid failure. This Part focuses on these challenges and the possibilities for governance innovation to address them. It begins by discussing the reliability challenges that arise as technology changes, and then analyzes ways in which NERC has implemented hybrid governance strategies to address these issues.

#### *A. The Need to Update Grid Reliability Practices as Technology Changes*

Three large regional mazes of wires form the U.S. grid, including the Western, Texas, and Eastern Interconnects—with the Eastern and Western Interconnects covering large portions of Southern Canada; within each of these three large networks of wires, which tend to be separated from each other due to historical grid development, regional institutions operate and maintain their portion of the interconnect.<sup>97</sup> If a small failure occurs

---

<sup>97</sup> Office of Electricity and Energy Reliability, Learn More about Interconnections, <http://energy.gov/oe/recovery-act/recovery-act-interconnection-transmission-planning/learn-more-about-interconnections> (last visited May 15, 2012).

within of any one of these interconnects, an entire region can experience severe power interruptions.<sup>98</sup> The reliability mandate faced by transmission operators in the United States and Canada therefore imposes a seemingly impossible task: Operators must provide a good instantaneously to all consumers at the full quantity demanded without interruption, all the while constantly balancing demand with the quantity of generation available to ensure a steady voltage in the wires.<sup>99</sup> Seemingly benign incidents such as squirrels chewing through wires and more classic interruptions from computer-based or physical sabotage of the grid can cause massive system outages.

Smart grid initiatives at federal, state, and local levels—paired with efforts to bring renewables onto the grid—have monumentally expanded the difficulty of maintaining grid reliability. Policymakers and scholars use the term “smart grid” in many different ways, but it generally refers to the use of computers, greater interconnection among generators and electricity users, and information flow to make the energy system more efficient, reliable, and responsive.<sup>100</sup> Specifically, through smart grid efforts, transmission operators have begun to install computers to better isolate certain distribution areas—thus preventing widespread blackouts<sup>101</sup>—and to relieve congestion at certain points within the grid.<sup>102</sup> These operators also have expanded communications among grid users and connected more grid components, allowing utilities to automatically shut down certain large electricity users during periods of peak demand, for example.<sup>103</sup> In

---

<sup>98</sup> See SPENCER ABRAHAM, SEC. OF ENERGY, U.S. DEP’T OF ENERGY, NATIONAL TRANSMISSION GRID STUDY at 2 (2002), <http://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/TransmissionGrid.pdf> (describing instantaneous system-wide outages).

<sup>99</sup> See Osofsky & Wiseman, *supra* note 9 (describing the mandate and the challenge).

<sup>100</sup> See, e.g., S. Massoud Amin and Bruce F. Wollenberg, *Toward a Smart Grid*, 3 IEEE P&E MAGAZINE 34 (2005) (explaining the term and explaining how to move toward achieving these goals).

<sup>101</sup> See, e.g., Dept. of Energy, *The Smart Grid: An Introduction*, [http://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/DOE\\_SG\\_Book\\_Single\\_Pages%281%29.pdf](http://energy.gov/sites/prod/files/oeprod/DocumentsandMedia/DOE_SG_Book_Single_Pages%281%29.pdf) (describing the Beach Cities Microgrid, which will be able to “isolate from the utility seamlessly with little or no disruption to the loads within it and seamlessly reconnect later,” and to do so “during a major grid disturbance”).

<sup>102</sup> See, e.g., Liz Enbysk, *Transmission Upgrades Coming on Strong: Michigan the Latest with \$90 Million for ABB Technology*, [http://www.smartgridnews.com/artman/publish/Delivery\\_Transmission/Transmission-upgrades-coming-on-strong-Michigan-the-latest-with-90-million-for-ABB-technology-4501.html](http://www.smartgridnews.com/artman/publish/Delivery_Transmission/Transmission-upgrades-coming-on-strong-Michigan-the-latest-with-90-million-for-ABB-technology-4501.html) (last visited July 16, 2012) (describing “dynamic voltage support” technologies deployed in Michigan to both improve regional reliability and accommodate wind power).

<sup>103</sup> See, e.g., PJM, *Demand Response Regulation Market*, <http://pjm.com/markets-and-operations/demand-response/dr-regulation-market.aspx> (last visited July 16, 2012) (describing participants who opt to allow very short-term changes in the quantity of

addition, as more renewable generators request grid interconnections, utilities have begun to add new computer technologies to the grid to allow for faster plug-in and coordination of electricity supply.<sup>104</sup> As a result of enhanced interconnection, these operators and their regulators also must address potential reliability concerns raised by introducing more intermittent sources.<sup>105</sup>

At a smaller level, smart meters installed in homes, depending on their level of intelligence, allow utilities to remotely control homes' air-conditioning or heating systems, which again helps to create more load and to avoid major spikes in demand.<sup>106</sup> Smart metering and real-time pricing of electricity allow customers to better control their electricity use by reducing demand during peak periods.<sup>107</sup> These innovations can particularly benefit low-income customers—if they have access to the technology that is sometimes distributed inequitably—giving those most

---

electricity that flows to them in order to regulate “the stability of the power system” and explaining that these participants must have “real-time telemetry” capabilities. Real-time telemetry involves “two-way real-time communication of energy usage.”); Cal. Public Utilities Comm’n, Demand Response, [http://www.cpuc.ca.gov/PUC/energy/wholesale/01a\\_cawholesale/MRTU/06\\_demandresponse.htm](http://www.cpuc.ca.gov/PUC/energy/wholesale/01a_cawholesale/MRTU/06_demandresponse.htm) (last visited July 16, 2012).

<sup>104</sup> See, e.g., Alstom.com, Integrating Renewable Energy Resources, <http://www.alstom.com/Global/Grid/Resources/Documents/Integrating%20Renewable%20Energy%20Sources.pdf> (last visited July 16, 2012) (describing a “Renewable Operation Portal” that uses computer technology to, for example, respond “automatically to power balance changes”).

<sup>105</sup> Jim Blatchford, Cal. Indep. System Operator, CAISO Participating Intermittent Resources Program for Wind Generation (explaining that “[e]nergy [p]roduction [from wind] is unpredictable day ahead, hour ahead, and from minute to minute”). Section I.C provides further discussion of intermittency.

<sup>106</sup> See, e.g., Comed, Cycle Your Air Conditioning Use, <https://www.comed.com/home-savings/rebates-incentives/pages/central-ac-cycling.aspx> (last visited July 16, 2012) (describing automated air-conditioner cycling using a wireless signal).

<sup>107</sup> See, e.g., Cal. Public Utility Comm’n, The Benefits of Smart Meters, <http://www.cpuc.ca.gov/PUC/energy/Demand+Response/benefits.htm> (last visited July 16, 2012) (noting that that smart metering “[p]rovides customers with greater control over their electricity use when coupled with time-based rates, increasing the range of different pricing plans available to customers and giving them more choice in managing their electricity consumption and bills”). *But see*, Rebecca Smith, *Smart Meters, Dumb Idea?*, WALL ST. J., Apr. 27, 2009, <http://online.wsj.com/article/SB124050416142448555.html> (noting the cost of installing the metering infrastructure); Matthew L. Wald, *Smart Grid is Making Many Households Unhappy*, N.Y. TIMES, Dec. 13, 2009, <http://www.nytimes.com/2009/12/14/us/14meters.html> (noting complaints about inaccurate meters and the higher rates necessary to recoup the costs of installing the meters, as compared to the longer-term payoffs in electricity use reductions).

vulnerable to price changes in an inelastic good valuable control over use decisions.<sup>108</sup>

The smart grid, which has enhanced the ability of intermittent renewable sources to connect to the grid and has introduced computers to a number of other physical grid components, is an important transformation. Yet increased reliance on computers expands the opportunities for grid sabotage and thus reliability failures;<sup>109</sup> indeed, China and other countries have hacked into U.S. utility computers to warn them of their abilities to interfere with the system.<sup>110</sup> In addition, greater information flow enabled by the smart grid raises a host of privacy issues for consumers and businesses; smart grid data, if collected in the very granular form that allows for fine-tuning of energy usage, can reveal the nuances of appliance use, including even which movie someone has chosen to watch.<sup>111</sup>

As smart grid projects add more computers to transmission and distribution lines, the overarching mandate of reliability is threatened on multiple fronts. Yet different reliability concerns affect different local utilities—and even states—in different ways. Certain areas face few hacking threats, yet they are highly concerned about technical failures of computers. Because the grid is interconnected, a failure by any one entity to adequately address its particular reliability concern would represent a major gap in authority. Furthermore, even for areas facing similar reliability concerns, such as hacking, without coordinated governance, there would be a threat that each utility or state would create a different reliability standard. These standards likely would have some elements in common—

---

<sup>108</sup> On the other hand, low-income customers may benefit the least from enhanced demand controls; even if they could program a dishwasher to run at midnight rather than 6 PM, they may not have this luxury. A parent returning home from a third job at 11 PM needs clean dishes.

<sup>109</sup> See, e.g., U.S. Dep't of Energy, Energy.gov, Energy Delivery Systems Cybersecurity, <http://energy.gov/oe/technology-development/energy-delivery-systems-cybersecurity> (last visited July 16, 2012) (“Energy delivery systems include control systems, the brains that operate and monitor our energy infrastructure. Two examples of such systems are the Supervisory Control and Data Acquisition (SCADA) and the Distributed Control Systems (DCS). Most early SCADA system designs did not anticipate the security threats posed by the integration of advances in computers and communication such as off-the-shelf software and operating systems, public telecommunication networks, and the Internet. Energy delivery systems have become more productive and efficient, but the energy sector is faced with an unprecedented challenge in protecting systems against cyber incidents and threats.”).

<sup>110</sup> *Electricity Grid in U.S. Penetrated by Spies*, WALL ST. J., Apr. 8, 2009, available at <http://online.wsj.com/article/SB123914805204099085.html>.

<sup>111</sup> For a discussion of smart grid and privacy issues, see H. Russell Frisby, Jr. & Jonathan P. Trotta, *The Smart Grid: The Complexities and Importance of Data Privacy and Security*, 19 COMMLAW CONSPECTUS 297 (2011).

thus creating potentially repetitive and inefficient regulatory overlap, but they also could contain very different standards. This approach would create confusing, and potentially conflicting, requirements for large utilities operating in several regions. Because utilities often are regional or national in scope, demand for common standards could emerge, leading to hierarchical conflicts among states or utilities as they fought for the prioritization of their standards.

The early, national coordination of reliability standards through the public-private reliability organization NERC has addressed many of these governance problems that otherwise would have emerged in the reliability context, as discussed in Part III.C. below. The addition of federal (FERC) oversight of NERC in 2005 further coordinated the many entities that write and enforce reliability standards under the NERC umbrella and clarified authority, with FERC having the power to approve or reject new standards and to review all enforcements of reliability standards.

But even with coordination, which still leaves room for confusion and possible hierarchical conflicts as new reliability standards are proposed, a third governance challenge emerges. As evidenced by NERC's long history of private governance, industry involvement in regulating electric reliability is essential. Thousands of private utilities own the bulk of generation and transmission and understand the highly technical aspects of connecting to and operating the grid, including maintaining a relatively constant voltage in the wires despite fluctuating electricity generation and demand, for example. Their participation in the formation and even the enforcement of the standards is therefore key; FERC cannot be everywhere at one time to monitor the behavior of each grid-connected entity, nor does it have all of the information necessary to write fully effective reliability standards. Yet leaving the very entities that profit from electricity generation and grid operation to write the standards necessary for grid reliability could be dangerous. These entities might be tempted to cut corners when standards proved particularly expensive.

These and other concerns introduce new challenges to a system of grid reliability that has operated without public control for decades, forcing innovation within an already unique public-private governance scheme. The following Section analyzes these developments and the extent to which they address substantive and structural challenges facing grid reliability.

### *B. Regulatory Innovation through Hybrid Regional Structures*

As utilities that operate transmission lines have struggled to keep pace with the transition to a "smarter," more computerized grid with greater integration of renewables, an old institution with a recently-added federal

governance structure has helped to maintain grid reliability and security. This institution, the North American Electric Reliability Corporation (NERC), has expanded and formalized a long-used private-public governance structure to help the grid adapt to change. The following Section explores how NERC's evolution has shaped its approach to both substantive and structural aspects of this challenge.

### 1. Coordinating Standards through Private Governance and Adding Public Oversight

Transmission operators first addressed the complex demands of grid reliability through various private governance systems, which arose in response to pressing grid reliability concerns, including major blackouts. In the 1960s, utilities across the country formed a committee to produce "criteria and guides for reliability operations," and certain regional groups produced reliability guides.<sup>112</sup> More serious coordination began in 1968, after "the largest blackout to this date in history occurred" in 1965; following that blackout, utilities created a more formal organization called the National Electric Reliability Council, or NERC<sup>113</sup> (now the North American Electric Reliability Corporation). NERC, whose members included transmission line owners, individual electricity users, and state regulatory commissions, among others, created eight subdivisions. These regional entities (REs) proposed (and still do propose) reliability standards to NERC and took core responsibility for enforcing them, as they still do. These reliability standards require, for example, that utilities regularly trim vegetation around wires, identify critical cyber infrastructure and how to secure it, and maintain "contingency reserve" generation to back up failed generation.<sup>114</sup> REs enforce these standards by imposing penalties on individual utility members, and NERC hears appeals from utilities claiming unfair enforcement.

Where RTOs and ISOs have formed to operate the grid and the transmissions services market, regional entities were often housed within them, but they had (and continue to have) entirely separate mandates, with the RTO focusing on operations and the RE on maintaining reliability. Where RTOs and ISOs have not been formed, the RE is an independent

---

<sup>112</sup> North American Electric Reliability Corp., History, <http://www.nerc.com/page.php?cid=17|11>.

<sup>113</sup> *Id.*

<sup>114</sup> See North American Electric Reliability Corp., Standards: Reliability Standards, <http://www.nerc.com/page.php?cid=2|20>

quasi-private institution that answers to NERC and ensures reliability within its portion of the grid.<sup>115</sup>

This complex system of private federalist governance operated for four decades before the federal government intervened in 2005, adding a new governance layer and forcing partial publicization of NERC. This governance change once again occurred in response to a massive grid reliability failure—the “worst blackout ever” on August 14, 2003.<sup>116</sup> The Energy Policy Act of 2005 directed FERC to approve an electric reliability organization (ERO) to ensure grid reliability, and it gave FERC oversight authority.<sup>117</sup> Congress also required that reliability standards be mandatory; FERC could directly enforce these standards, with fines up to \$1 million daily, and would review all regional entity and NERC enforcement actions.

NERC subsequently applied to be the ERO and was approved by FERC in 2006. NERC’s mission, which is to ensure an adequate, uninterrupted supply of electricity throughout the United States and much of Canada,<sup>118</sup> remains the same despite the addition of this layer of federal governance. To fulfill this mandate, NERC is to propose reliability standards to FERC and enforce these mandatory standards; FERC can reject or revise standards that it deems inadequate in addition to revising or rejecting NERC enforcement decisions—or conducting enforcement itself.<sup>119</sup> NERC continues to engage eight regional entities in both the standard writing and enforcement process; indeed, like states sometimes do in a federal system, REs perform much of NERC’s work—proposing reliability standards and enforcing them. Canadian governments also individually have entered into memoranda of understandings with the “new NERC” to confirm that it will continue to govern reliability within their provinces.

Before and after its approval as the ERO for America and parts of Canada, NERC has been relatively successful in proposing updated security standards to address new security issues inherent to the smart grid and the interconnection of thousands of new renewable sources to the grid. In developing a “Critical Cyber Asset Identification” standard, for example, NERC noted the classic conundrum of grid computerization:

---

<sup>115</sup> For maps showing that regional entities and RTOs/ISOs do not always overlap, see North American Electric Reliability Corp., Regional Entities, <http://www.nerc.com/page.php?cid=1|9|119>; ISO/RTO Council, ISO RTO Operating Regions <http://www.isorto.org/site/c.jhKQIZPBIImE/b.2604471/k.B14E/Map.htm>.

<sup>116</sup> North American Electric Reliability Corp., *supra* note 112.

<sup>117</sup> 16 U.S.C. § 824o(b),(c) (2005).

<sup>118</sup> North American Electric Reliability Corporation, <http://www.nerc.com/>.

<sup>119</sup> Scott Grover, *FERC Guidance Order Shows Inter-Agency Tension*, 23-WTR Nat. Resources & Env’t. 61, 63 (2009) (describing FERC as “the final arbiter on the enforcement of reliability standards”).

Business and operational demands for managing and maintaining a reliable Bulk Electric System increasingly rely on Cyber Assets supporting critical reliability functions and processes to communicate with each other, across functions and organizations, for services and data. This results in increased risks to these Cyber Assets.<sup>120</sup>

Thus, while more computers are added to the grid to draw in more generation sources, connect more portions of the grid to even out demand, and enhance reliability, these additions can threaten the very reliability they aim to improve. To address this dilemma, NERC has proposed and FERC has approved a variety of cyber-specific reliability standards. It requires nearly all entities associated with the grid, including generators, transmission line operators, regional entities, regional transmission organizations, and others to identify and list all of their “critical cyber assets” associated with critical infrastructure that supports grid reliability.<sup>121</sup> It further mandates that personnel with access to these assets to have special training and security awareness,<sup>122</sup> that entities associated with the grid implement special security management controls for cyber assets, and that they develop a Cyber Security Incident Response Plan,<sup>123</sup> among other measures. NERC also is updating standards for grid sabotage reporting in response to stakeholder requests for clarification of the events that count as sabotage and comments on the difficulty of certain sabotage reporting. One update includes a requirement that cyber security incidents be reported within an hour of the event having been recognized.<sup>124</sup> Between 2008 and present, FERC and NERC have issued more than 800 notices of penalty for cyber-related violations.<sup>125</sup> NERC, with the help of FERC, also has addressed increased renewable connections—issuing thirteen notices of penalty for violations of facility-based reliability standards at wind farms during this time period.<sup>126</sup>

Major grid reliability challenges remain as renewable generators continue to request interconnection and grid computer technologies expand. A recent Bloomberg survey of fourteen utilities found, for example, that

<sup>120</sup> Standard CIP-002-1, *available at* <http://www.nerc.com/files/CIP-002-1.pdf>.

<sup>121</sup> Standard CIP-002-4, *available at* <http://www.nerc.com/files/CIP-002-4.pdf>.

<sup>122</sup> Standard CIP-004-4, *available at* <http://www.nerc.com/files/CIP-004-4.pdf>.

<sup>123</sup> Standard CIP-008-4, *available at* <http://www.nerc.com/files/CIP-008-4.pdf>.

<sup>124</sup> EOP-004-02, [http://www.nerc.com/docs/standards/sar/EOP-004-2\\_redline\\_to\\_initial\\_ballot\\_2012Apr24\\_Rev1.pdf](http://www.nerc.com/docs/standards/sar/EOP-004-2_redline_to_initial_ballot_2012Apr24_Rev1.pdf).

<sup>125</sup> <http://www.nerc.com/filez/enforcement/index.html> (follow the “click here” link next to “For the Searchable Notice of Penalty Spreadsheet” phrase; within the spreadsheet, sort by Colum “Reliability Standard,” and count all “CIP” standards other than CIP-001. These cover all cyber-related reliability standard violations.).

<sup>126</sup> *Id.*

utilities “are able to prevent 69 percent of known cyber strikes against their systems.”<sup>127</sup> Furthermore, recent studies suggest that professional hackers hired by the Chinese government have infiltrated numerous computers of energy utilities and pipelines,<sup>128</sup> and the President has issued a cybersecurity executive order in an attempt to fix stubborn challenges in this area.<sup>129</sup> While substantial problems remain, NERC’s historic and recently-updated institutional approach to developing and enforcing reliability standards provides useful examples in navigating both structural and governance-specific challenges of an energy transformation.

## 2. Horizontally and Vertically Integrating Key Actors

Among energy institutions, NERC presents a unique hybrid form. Although NERC itself is technically “private,” it exhibits nearly all of the typical elements of a public governance system: Its board follows strict bylaws for voting and membership procedures; it develops standards by following the private procedural rules established by the American National Standards Institute;<sup>130</sup> its standards are backed by the threat of high penalties (now as high as \$1 million daily), which it enforces; and it contains sub-entities (regional entities, or REs) that implement many of its rule-writing and enforcement responsibilities. NERC therefore strongly resembles a private “national” government, which enlists “states” to implement its policies through a cooperative governance scheme. These state-type entities, however, are regional in nature; all REs are responsible for maintaining reliability in several states and are by a board of directors comprised of executives from each utility and other state member within the RE’s territory.<sup>131</sup>

Following the addition of FERC’s federal oversight to a once-private organization, NERC has largely maintained its private federalist structure. Its Board of Trustees, which makes most final governance

<sup>127</sup>Brian Wingfield, *Power-Grid Cyber Attack Seen Leaving Millions in Dark for Months*, BLOOMBERG, Feb. 1, 2012, <http://www.bloomberg.com/news/2012-02-01/cyber-attack-on-u-s-power-grid-seen-leaving-millions-in-dark-for-months.html>

<sup>128</sup>See David E. Sanger et al., *China’s Army Unit is Seen as Tied to Hacking Against U.S.*, N.Y. TIMES, Feb. 18, 2013, [http://www.nytimes.com/2013/02/19/technology/chinas-army-is-seen-as-tied-to-hacking-against-us.html?pagewanted=all&\\_r=0](http://www.nytimes.com/2013/02/19/technology/chinas-army-is-seen-as-tied-to-hacking-against-us.html?pagewanted=all&_r=0) (describing an early release of a report by Mandiant that identifies the hacking problem but noting that “China’s defense ministry has denied that it is responsible for initiating attacks”).

<sup>129</sup>Executive Order – Improving Critical Infrastructure Cybersecurity, Feb. 12, 2013, <http://www.whitehouse.gov/the-press-office/2013/02/12/executive-order-improving-critical-infrastructure-cybersecurity>.

<sup>130</sup>North American Electric Reliability Corp., Standards: About Standards, <http://www.nerc.com/page.php?cid=2|247>.

<sup>131</sup>See, e.g., <https://www.frcc.com/AboutUs/default.aspx>.

decisions, such as the approval of reliability standards before they are sent to NERC, includes managing partners in private equity and other financial firms, senior executives of energy companies, former law firm partners, and former directors of municipally-owned utilities, among others.<sup>132</sup> The Board of Trustees governs approximately 1,400 entities, including transmission line owners and operators, power marketers, and generators, among others.<sup>133</sup>

The Board and Regional Entities do not operate on their own, however. A “registered ballot body” consisting of utility representatives and individuals votes and comments on proposed NERC standards,<sup>134</sup> and a committee of “sector representatives” directs the trustees’ daily operations—selecting the trustees and voting on their bylaws and budgets, for example.<sup>135</sup> Two sector representatives also participate in the NERC Standards Committee, which “oversees the drafting of NERC reliability standards”;<sup>136</sup> NERC’s board of trustees ultimately approves or rejects the standards following a vote by thousands of ballot members, as described in more detail below. “[A]ny person or entity with an interest in the reliable operation of the North American bulk power system” may become a member of NERC<sup>137</sup> and may petition to be a sector representative.<sup>138</sup>

Unique horizontal and vertical “governance” relationships are an important part of the structure of this complex organization. Regional entities pull together utilities from various states on their boards of directors. Utilities and public utility commissions from many states<sup>139</sup> also horizontally interact within NERC’s registered ballot body as they propose and comment on reliability standards. Vertically, similar intertwining of governance relationships emerges. As introduced in Part I, NERC has an unusual number of governance layers, from individual members who may propose reliability standards through regional entities, NERC’s Board of Trustees (a “national” private entity), and FERC, which reviews and approves or rejects proposed standards and enforcement actions. Along both these vertical and horizontal axes, the complexities of specific interactions among actors are astounding, as described in the following section.

---

<sup>132</sup> <http://www.nerc.com/page.php?cid=1|117|138>

<sup>133</sup> [http://www.nerc.com/files/NERC\\_Compliance\\_Registry\\_Matrix\\_Sorted\\_by\\_Entity20120427.pdf](http://www.nerc.com/files/NERC_Compliance_Registry_Matrix_Sorted_by_Entity20120427.pdf)

<sup>134</sup> <http://www.nerc.com/page.php?cid=1|9>.

<sup>135</sup> *Id.*

<sup>136</sup> North American Electric Reliability Corporation, Standards Committee, <http://www.nerc.com/page.php?cid=1|9|117|164>.

<sup>137</sup> North American Electric Reliability Corporation, About NERC Membership, <http://www.nerc.com/page.php?cid=1|8|118>.

<sup>138</sup> *Id.*

<sup>139</sup> <https://standards.nerc.net/rbb.aspx>.

### 3. Maintaining Private Involvement Within Shifting Hierarchical Processes

NERC's standards development process perhaps best exemplifies the specific governance interactions that add nuance to the vertical and horizontal dimensions of grid governance. It demonstrates both bottom-up and top-down hierarchies, and within these hierarchies, interesting patterns of cooperation and conflict emerge, such as the development of "consensus" and minority reliability standards that are proposed to NERC's Board of Trustees. This process is also a powerful example of public-private governance, with utilities, electricity users, and public utility commissioners all playing central roles in standards development.

Regarding hierarchy, the standards development process has maintained a strong grassroots theme despite the recent addition of a federal layer. NERC writes both nationwide and regional reliability standards—all of which are ultimately approved by FERC. The process for proposing and approving both is similar, and the regional standard-writing process for one regional entity<sup>140</sup> is explored here as an example.

NERC allows "any member of NERC, any member of a regional reliability organizations, regional entity, or group within NERC" or "any entity (person, organization, company, government agency, ... etc.) who is directly and materially affected by the reliability of the North American Bulk Power Systems" to request the "development, modification, or withdrawal of a reliability standard."<sup>141</sup> Those entities requesting a regional standard in the territory of the Regional Entity apply to a regional entity committee that assigns drafting responsibilities to a task force—the Standards Drafting Team.<sup>142</sup> This team posts a draft on the regional entity website and allows thirty days of comments. It then summarizes the comments, revises the standard accordingly, posts the revision, and schedules a vote by interested parties.<sup>143</sup> The team prepares a consensus draft following a vote on the standard, along with a minority report for unresolved significant issues; this report includes any appeals by interested parties who claim that the standard violates the standards procedure manual.<sup>144</sup>

---

<sup>140</sup> The Southwest Power Pool's Regional Entity's process for proposing reliability standards is described. Other regional entities follow similar processes.

<sup>141</sup> Southwest Power Pool Regional Entity, Southwest Power Pool Regional Entity Standards Development Process Manual 10, Oct. 2, 2007, at 12 (explaining that "[a]ny entity or individual may propose the development of a new or modified standard, or may propose the retirement of a standard").

<sup>142</sup> *Id.* at 13.

<sup>143</sup> *Id.* at 14-15.

<sup>144</sup> *Id.* at 15-16.

Voting segments for proposed regional reliability standards include an interesting public-private mix of interested parties from the transmission, generation, power marketers/brokers, distribution/load serving entity, and end user/public interest group sectors.<sup>145</sup> The MOPC reviews the recommended standard and makes an advisory vote; it also may request revision or standard termination.<sup>146</sup> The regional entity's board of directors and member committee then both review the standard, the results of the MOPC advisory vote, and other relevant information and also provide an advisory vote on the proposed standard.<sup>147</sup> The standard that emerges from this second advisory vote goes to the regional entity trustees, which recommend that NERC approve the standard, remand it "with comments or instructions," or "determine that there is no need for the standard and terminate any future activity."<sup>148</sup> NERC's Board of Trustees then votes and sends its recommendation to FERC for approval. Figure 1 summarizes this bottom-up initiated process.

---


<sup>145</sup> *Id.* at 15.

<sup>146</sup> *Id.* at 16.

<sup>147</sup> *Id.* at 16-17.

<sup>148</sup> *Id.* at 17.

**Figure 1. The bottom-up NERC process for the development of regional reliability standards**



NERC’s process for drafting reliability standards is similar. Any interested entity makes a request for a new, modified, or revised standard to NERC’s Standards Committee, which appoints a drafting team. The team follows a similar notice, comment, and redrafting procedure, and the vote on the draft standards goes to NERC’s full “Registered Ballot Body,” which again consists of a unique public-private mix of utilities, energy marketers, ISOs and RTOs, municipalities that own and operate utilities, state regulators, and others.<sup>149</sup>

Although the standards development process exhibits a bottom-up hierarchy, FERC has recently exerted more top-down authority within NERC’s enforcement process, making it clear that it will not simply rubber stamp enforcement decisions. In questioning the adequacy of a number of penalties issued by NERC soon after its approval as the ERO, for example, FERC in a Guidance Order made clear that “[a] monetary penalty must be assessed and structured in such a way that a user, owner or operator of the Bulk-Power System does not consider its imposition as simply an economic choice or a cost of doing business.”<sup>150</sup>

<sup>149</sup> North American Electric Reliability Corporation, Registered Ballot Body, <https://standards.nerc.net/rbb.aspx>.

In incorporating these many hybrid elements, NERC as an institution arguably embodies our proposed principles for energy governance. It has used its authority to coordinate what could otherwise be a morass of regulatory overlap. At the extreme, owners of transmission lines each could have followed individual standards, forcing every system user to comply with different mandates; potentially, one generator sending electricity over several transmission lines could have faced three different reliability standards with overlapping and/or divergent requirements. FERC prevented this sort of “pancaking” (layering) in the transmission rate context, but no such prohibition existed for reliability; it emerged organically.

In addition, NERC has prevented a potentially dangerous fragmentation of authority, in which some utilities ignored large system risks and threatened the reliability of an entire portion of the grid. In combining federal oversight with utility-led creation and enforcement of standards, FERC also addresses several holes in authority. States lack jurisdiction over wholesale transmission, while the federal government lacks power over certain retail electricity transactions. Even failures in retail distribution lines, however, can affect large portions of the grid, just as flaws in the wholesale transmission system can cut off power for millions of retail users. Congress, in granting FERC authority over all necessary actions for reliability—even those involving retail distribution—has filled in potential gaps in authority and coordinated that authority within one institution. At the same time, it has retained the decentralized, private process of standard writing that incorporates key private actors; those most familiar with reliability challenges write the rules.

As with any complex governance system, the many layers of the NERC process can cause problems. FERC’s Director of the Office of Electric Reliability, for example, has applauded the “public nature of the reliability standards development process”<sup>151</sup> but has also noted its downfalls. Particularly in the cybersecurity area, for example, where new threats often emerge quickly, the bottom-up, grassroots process can impede rapid response. Further, giving private actors such an important role in governance raises the classic concerns of the fox guarding the henhouse, although it also gives “rulemaking” authority to the entities with the most information in a highly technical field. With these benefits and limitations, the NERC process provides a useful example of a hybrid regulatory structure with regional dimensions creating needed dynamism.

---

#### IV. INTEGRATING RENEWABLES ONTO THE GRID: EFFORTS BY REGIONAL TRANSMISSION ORGANIZATIONS

In addition to a better connected and more reliable transmission grid, almost any model of needed energy transformation includes increasing the number of renewable generation sources on the grid.<sup>152</sup> These sources require more than the enhanced interconnection potential enabled by the smart grid. Their incorporation requires new transmission lines, capable of handling these sources, to be built to reach areas with high renewable capacity, and a reworking of energy markets to handle their intermittency. This Part focuses on the possibility for initiatives by RTOs to meet these needs. It begins by considering the barriers facing renewable integration onto the physical grid and into markets, and then analyzes the hybrid, regional form of RTOs and the extent to which they are overcoming these barriers through governance innovation.

##### *A. Challenges Facing the Integration of Renewables onto the Grid*

Renewables comprise a low percentage of the overall energy mix right now, but the United States has massive untapped potential. For example, the abundant strip of wind resources running up the middle of the country remains largely underutilized, as do areas off the coasts and in the Great Lakes.<sup>153</sup> Similarly, the Southwest has extensive solar capacity that is not being used.<sup>154</sup>

Once these renewables are connected to the grid, they can serve as a source of cheaper, cleaner energy. For example, in the Midwest Independent System Operator (MISO) transmission system, which has mandates for reducing cost of transmission and enhancing reliability,<sup>155</sup>

---

<sup>152</sup> See, e.g., Lawrence E. Jones, Strategy and Decision Support Systems for Integrating Variable Energy Resources in Control Centers for Reliable Grid Operations at 2, [http://www1.eere.energy.gov/wind/pdfs/doe\\_wind\\_integration\\_report.pdf](http://www1.eere.energy.gov/wind/pdfs/doe_wind_integration_report.pdf) (summarizing studies addressing the integration of wind onto the grid).

<sup>153</sup> See U.S. Dept. of Energy, Wind Powering America, Utility-Scale Land-Based 80-Meter Wind Maps, [http://www.windpoweringamerica.gov/wind\\_maps.asp](http://www.windpoweringamerica.gov/wind_maps.asp); U.S. Dept. of Energy, 20% Wind by 2030 (2008), [http://www.20percentwind.org/20percent\\_wind\\_energy\\_report\\_revOct08.pdf](http://www.20percentwind.org/20percent_wind_energy_report_revOct08.pdf) (describing as-yet unrealized potential).

<sup>154</sup> See Natl. Renewable Energy Laboratory, Concentrating Solar Resources of the United States, [http://www.nrel.gov/gis/images/map\\_csp\\_national\\_lo-res.jpg](http://www.nrel.gov/gis/images/map_csp_national_lo-res.jpg).

<sup>155</sup> See, e.g., MISO, MISO Board Approves 215 New Transmission Projects, Dec. 8, 2011, <https://www.midwestiso.org/AboutUs/MediaCenter/PressReleases/Pages/MISOBoardApproves215NewTransmissionProjects.aspx> (last visited July 16, 2011) (describing “a comprehensive long-term regional plan for the electric grid that will bring more than \$2 billion in annual benefits for decades to come for energy consumers throughout the Midwest” and that will help the RTO meet its reliability mandates”).

transmission operators have attempted to bring as much wind on the grid as possible because it is generally the cheapest available source;<sup>156</sup> governmental incentive programs that help to reduce the infrastructure costs of installing wind turbines further reduce the price of wind. This cost minimization thus serves energy law goals of making electricity affordable while assisting the transition to cleaner sources.<sup>157</sup>

Despite their benefits, renewable energy resources have faced interconnection barriers. Existing transmission lines, based around major power plants and population centers, do not reach new sites, and market and regulatory barriers constrain the building of new ones.<sup>158</sup> Utilities often have little incentive to build new transmission that will encourage competition from other generators, regulatory requirements for open access transmission can only go so far in forcing the construction of new lines, and legitimate interconnection concerns and line constraints often force renewable generators to wait in a transmission queue for months.<sup>159</sup> In addition, both wind and solar are intermittent; wind speeds and amounts of sunshine vary over time.<sup>160</sup> This intermittency causes barriers to integrating them into the market, as the aging physical grid often cannot handle large quantities of variability, and traditional pricing systems are not designed to handle these fluctuations.<sup>161</sup> In addition, many of the resources with which

---

<sup>156</sup> See, e.g., Renewables Cheaper than Coal, Michigan Regulators Say, Midwest Energy News, <http://www.midwestenergynews.com/2012/02/24/michigan-regulators-say-renewables-cheaper-than-coal/> (last visited July 16, 2012) (noting Michigan Public Service Commission figures, which estimate the average cost of renewables at “\$91.19 per megawatt hour, compared to \$133 per megawatt hour for a new coal plant”).

<sup>157</sup> Most states have a requirement that energy prices be “just and reasonable,” as does FERC.

<sup>158</sup> See Osofsky & Wiseman, *supra* note 9.

<sup>159</sup> See *id.*

<sup>160</sup> See PAUL DENHOLM ET AL., NATL. RENEWABLE ENERGY LABORATORY, THE ROLE OF ENERGY STORAGE WITH RENEWABLE ELECTRICITY GENERATION, Jan, 2010, <http://www.nrel.gov/docs/fy10osti/47187.pdf> (“Both solar photovoltaics (PV) and wind energy have variable and uncertain (sometimes referred to as ‘intermittent’) output, which are unlike the dispatchable source used for the majority of electricity generation in the United States.”).

<sup>161</sup> U.S. Dept. of Energy, Advanced Research Projects Agency, Disruptive & Innovative Approach to Technology, <http://arpa.e.energy.gov/ProgramsProjects/GENI/ImprovedPowerSystemOperationsUsingAdvancedSt.aspx> (last visited July 16, 2012) (explaining that “Sandia National Laboratories is working with several commercial and university partners to develop software for market management systems (MMSs) that enable greater use of renewable energy sources throughout the grid” and that the intermittency of solar and wind introduces “complications for MMSs, which have trouble accommodating the multiple sources of price and supply uncertainties associated with bringing these new types of energy into the grid”).

renewables are paired do not have the flexibility to rapidly vary the amount of power they provide to accommodate changing wind patterns.<sup>162</sup>

As in the previous two areas of substantive challenges in energy, governance innovation paired with technological changes has the potential to help ameliorate these problems. For example, wind forecasting technology has improved greatly, which allows for innovative regulatory mechanisms to allow greater grid integration. This innovation also can address the governance challenges inherent to a transmission system that crosses local and state (and sometimes international) lines; demands real-time monitoring as well as long-term planning for electricity sources and needs; and involves generators, line owners, utilities, state agencies, FERC, and regional actors. FERC requirements for uniform interconnection procedures<sup>163</sup> give wind generators *ex ante* knowledge of the procedures that will be required to receive approval from utilities or RTOs to connect to transmission lines. Furthermore, innovative RTO proposals to require a variety of grid users to share the costs of building new transmission—which often benefits a variety of generators and consumers, not just wind developers—increases the chances of new lines being built. Section II.C explores how regional transmission organizations, in particular, have made progress in overcoming governance challenges while expanding transmission to renewable energy farms.

### *B. Regulatory Innovation through Hybrid Regional Structures*

As energy firms propose thousands of new renewable energy plants in remote areas, the transmission grid faces unprecedented demands for additional infrastructure construction and market integration. The grid must substantially expand to accommodate a large portion of the proposed generation, and, as discussed in Section IV.A, many existing utilities do not

---

<sup>162</sup> In Colorado, one industry-funded study suggests that carbon emissions increased following the introduction of wind power as coal plants cycled up and down to accommodate this new influx of variable energy. See Western Energy Alliance, BENTEK Energy, LLC, *How Less Became More: Wind, Power and Unintended Consequences in the Colorado Energy Market*, [http://westernenergyalliance.org/wp-content/uploads/BENTEK\\_ExecutiveSummary%20HowLessBecameMore.pdf](http://westernenergyalliance.org/wp-content/uploads/BENTEK_ExecutiveSummary%20HowLessBecameMore.pdf). But see Lauren Valentino et al., *System-Wide Emission Implications of Increased Wind Power Penetration*, 46 *Envtl. Sci. Tech.* 4200 (2012) (offering lower emissions numbers). While the use of natural gas as a back-up resource is much more efficient, the barriers described in this paper, from long-term contracts to entrenched infrastructural investments, make it more difficult to rely on the most efficient generation sources as complements to variable ones.

<sup>163</sup> FERC Order 661, *Interconnection for Wind Energy*, June 2, 2005, [elibrary.ferc.gov/idmws/common/opennat.asp?fileID=10594521](http://elibrary.ferc.gov/idmws/common/opennat.asp?fileID=10594521).

have the incentive to build out transmission to new, competing generators. This Section focuses on efforts by multi-state RTOs in states with high wind capacity—MISO and the Southwest Power Pool (SPP)—to site transmission lines and integrate renewable energy into the physical grid and market. It explores the extent to which their regulatory innovations address both the substantive and structural issues described in Part I.

### 1. Implementing Creative Pricing Schemes and Prioritizing Regional Transmission Build-out

RTOs emerged from FERC orders as part of its implementation of the Energy Policy Act of 1992. As with the other hybrid institutions explored in this Article, RTOs were the result of an ongoing FERC response to a perceived crisis induced by technological and market-based changes, although this crisis was not as discrete or seemingly immediate as blackouts affecting grid reliability or threats of pollution from oil or gas development. FERC Orders 888 and 889, followed later by Order 2000, specifically aimed to address an evolution that was then occurring in electricity markets. In Order 888, FERC noted the movement toward independent and affiliated power producers, which often built smaller generation units than did large utilities but needed access to the transmission grid to sell their product. And following a 1978 act specifically aimed at encouraging the development of numerous small, efficient generators and renewable generation units, transmission access became even more essential to connect consumers with potentially cheaper and cleaner power.<sup>164</sup> Yet utilities that owned transmission lines created bottlenecks that made it difficult for these competitors to access the grid, and FERC concluded in Order 888 that open access was necessary to address “the mounting competitive pressures in the industry and rapidly evolving markets.”<sup>165</sup>

Beginning with Order 888, FERC fostered the creation of independent system operators, established an electronic information system called the open access same-time information system (OASIS), and later encouraged regional creation of RTOs.<sup>166</sup> In Order 2000, FERC noted that

<sup>164</sup> FERC Order 888 at 25-26, 29, *available at* <http://www.ferc.gov/legal/maj-ord-reg/land-docs/rm95-8-00w.txt>.

<sup>165</sup> *Id.* at 34.

<sup>166</sup> *See* Order No. 888, Promoting Wholesale Competition Through Open Access Non-Discriminatory Transmission Services by Public Utilities; Recovery of Stranded Costs by Public Utilities and Transmitting Utilities, F.E.R.C. Stats. & Regs. ¶ 31,036, 61 Fed. Reg. 21,540 (1996); Order No. 889, Open Access Same-Time Information System (formerly Real-Time Information Networks) and Standards of Conduct, F.E.R.C. Stats. & Regs. ¶ 31,035, 61 Fed. Reg. 21,737 (May 10, 1996); Order No. 2000, Regional Transmission Organizations, F.E.R.C. Stats. & Regs. ¶ 31,089 (1999), 65 Fed. Reg. 810 (Jan. 6, 2000);

further “rapid growth” in technologies and the market had occurred since orders 888 and 889. The opening of the market had fostered a “rapid growth in dependence on wholesale markets for acquisition of generation resources,” and caused similarly “rapid development of new generation resources.”<sup>167</sup> But “planning and construction of transmission and transmission-related facilities” was apparently “not keeping up” with the new demands placed on the grid by expanded generation and changing markets, and FERC concluded in Order 2000 that further encouragement of regional transmission entities, some of which had already formed voluntarily, was needed in order to ensure grid reliability and accommodate new generation.<sup>168</sup>

Under Order 2000, RTOs must have independence from market participants, regional scope of operations authority to plan and expand, and an “open architecture policy” that allows for structural modifications. Their minimum functions include tariff administration and design (the process of obtaining from FERC a regulated rate and approved conditions for the transmission service provided), congestion management, OASIS participation, market monitoring, planning and expansion, and interregional coordination.<sup>169</sup> As depicted in the following map, there are currently 10 RTOs (some of which include not only U.S. states but also Canadian provinces), which cover about two thirds of the U.S. population and about one third of the Canadian population.

---

Michael H. Dworkin, *Ensuring Consideration of the Public Interest in the Governance and Accountability of Regional Transmission Organizations*, 28 ENERGY L.J. 543, 551–54 (2007).

<sup>167</sup> FERC Order 2000 at 13, <http://www.ferc.gov/legal/maj-ord-reg/land-docs/RM99-2A.pdf>.

<sup>168</sup> *Id.* at 18-20.

<sup>169</sup> Order No. 2000, *supra* note 166; Dworkin, *Ensuring Consideration of the Public Interest in the Governance and Accountability of Regional Transmission Organizations*, *supra* note 166, at 551–54.

**Map 1. U.S. Regional Transmission Organizations**  
 Reproduced from Federal Energy Regulatory Commission Website<sup>170</sup>



The Midwestern RTO, MISO, has been particularly active in addressing renewable challenges as a result of burgeoning interconnection requests from wind generators in the region. In December 2001, MISO became the first RTO approved by FERC. As of the 2011 ISO/RTO metrics report, it included 33 transmission owners with approximately 57,000 miles of transmission lines and generation owners with 148,456 megawatts of electrical generation.<sup>171</sup> It covers 12 U.S. states and the Canadian province of Manitoba, and in 2010, cleared more than \$25.7 billion in energy transactions.<sup>172</sup> MISO includes states that have among the highest wind capacity in the United States and was among the first RTOs to proactively include wind in its transmission planning process, beginning in 2003, through its Midwest ISO Transmission Expansion Plan and continuing in all of its transmission planning since.<sup>173</sup>

As Alexandra Klass and Elizabeth Wilson have discussed in recent scholarship, MISO's Multi-Value Project pricing approach has the potential to help overcome cost allocation barriers to new transmission lines that will help bring renewable energy onto the grid and assist its states in meeting

<sup>170</sup> Federal Energy Regulatory Comm'n., Regional Transmission Organizations (RTO)/Independent System Operators (ISO), <http://www.ferc.gov/industries/electric/industryact/rto.asp>.

<sup>171</sup> 2011 ISO/RTO METRICS REPORT at 11, <https://www.midwestiso.org/Library/Repository/Tariff/FERC%20Filings/2011-08-31%20Docket%20No.%20AD10-5-000.pdf>.

<sup>172</sup> The MISO states include Illinois, Indiana, Iowa, Michigan, Minnesota, North Dakota, South Dakota, Wisconsin, and parts of Kentucky, Missouri, Montana, and Ohio. See FERC, Electric Power Markets: Midwest (MISO), <http://www.ferc.gov/market-oversight/mkt-electric/midwest.asp> (last visited Apr. 23, 2012).

<sup>173</sup> Metrics Report, *supra* note 155 at 158, 160.

their renewable energy goals.<sup>174</sup> The MVP model introduces a new pricing scheme in which the amount of load on the new lines will affect the price that an area within the region pays. Projects that meet certain requirements, including those that participate in MISO's transmission expansion planning process, "provide multiple economic benefits," and address regional reliability standards, may participate.<sup>175</sup> While there is some chance that this pricing approach for expanding transmission may not withstand judicial scrutiny, it has been structured somewhat differently than a regional plan by another RTO that the Seventh Circuit struck down, and it represents a promising effort to integrate renewables more effectively into the physical grid.<sup>176</sup>

Indeed, MISO's approaches to transmission governance have correlated with tangible gains on needed energy transformation. For example, a 2007 study by the ISO/RTO council indicated that RTOs help to implement renewable portfolio standards by tracking generation, and that ISOs and RTOs support markets' integration of renewable resources. It noted that at that time, ISOs and RTOs hosted 79% of installed wind generation, "which is well above their 44% share of wind energy potential and 53% share of total North American electricity demand."<sup>177</sup> While this disproportionate share is likely due in part to RTOs' fortuitous concentration in the Midwest, which has abundant wind, RTOs likely have directly supported enhanced investment in renewable generation, at least in part.

In addition to this work on transmission, MISO's new resource designation of Dispatchable Intermittent Resources (DIRs) is allowing wind energy to participate fully in the real time markets rather than just the day ahead ones for the first time.<sup>178</sup> This innovative approach to bringing wind

---

<sup>174</sup> Alexandra B. Klass & Elizabeth J. Wilson, *Interstate Transmission Challenges for Renewable Energy: A Federalism Mismatch*, \_\_ VAND. L. REV. \_\_ (forthcoming 2012), available at [http://papers.ssrn.com/sol3/papers.cfm?abstract\\_id=2012075](http://papers.ssrn.com/sol3/papers.cfm?abstract_id=2012075).

<sup>175</sup> *Id.*

<sup>176</sup> *Id.*

<sup>177</sup> ISO/RTO COUNCIL, INCREASING RENEWABLE RESOURCES: HOW ISOs AND RTOs ARE HELPING MEET THIS PUBLIC POLICY OBJECTIVE (Oct. 16, 2007).

<sup>178</sup> MISO, Press Release, *Miso Furthers Wind Integration into Market*, June 1, 2011, <https://www.midwestiso.org/AboutUs/MediaCenter/PressReleases/Pages/MISOFurthersIntegrationofWindResources.aspx>; Market Committee, MISO, March 1, 2011, <https://www.midwestiso.org/Library/Repository/Meeting%20Material/Stakeholder/MSC/2011/20110301/20110301%20MSC%20Item%2012a%20DIR%20Implementation%20Update.pdf>. For a discussion of integrating intermittent renewable resources into energy markets, see Walter R. Hall II, et al., American Bar Association Energy and Resources Committees, *Restructuring of the Electric Industry*, 2008 ABA ENV'T ENERGY & RESOURCES L.: YEAR IN REV. 296; Audun Botterud & Jianhui Wang, *Wind Power Forecasting and Electricity Market Operations* (draft on file with authors); J.C. Smith et

more fully into the market, using improved wind prediction technology, has the potential to limit wind curtailment and pave the way for even more integration in the future. For example, MISO is not yet allowing DIRs to supply operating reserves, but has expressed its openness to doing so in the future after this experiment.<sup>179</sup> While controversy remains over some of the particulars, MISO's pricing efforts, like its transmission activities, represent important steps forward in integrating renewable energy into the market dimensions of the grid.

Other RTOs have begun to make similar progress in expanding transmission to renewables. The Southwest Power Pool (SPP), an RTO that covers 255,000 square miles in Oklahoma, Kansas, the Texas Panhandle, and parts of New Mexico, Arkansas, and Louisiana,<sup>180</sup> also operates within a very windy region. Although it has not been as aggressive as MISO in expanding transmission for wind power, it has taken important planning steps. In 2004 alone, SPP had 37 interconnection requests from generators in process, including 26 requests from wind generators.<sup>181</sup>

To address anticipated future interconnection requests and a number of other impending transmission challenges, SPP conducts both local and regional planning to operate and continuously update its grid effectively. For example, SPP initiated a process to plan for a "cohesive group of economic transmission upgrades" benefitting the region and to determine how to allocate the costs of upgrades regionally. Two additional local area planning processes created a plan to build an "extra high voltage transmission backbone" across the region and to annually review "transmission expansion needs over a 10-year horizon" to determine how grid reliability would be maintained.<sup>182</sup>

In 2009, SPP announced that it would pull together these transmission planning processes into one process called the Integrated Transmission Plan, which addresses the need to maintain grid reliability and allow for economic development through the interconnection of new

---

al., *Impact of Variable Renewable Energy on US Electricity Markets* (draft manuscript on file with authors); Li Zhang, Paul Gribik, Tengshun Peng & Marc Keycer, *Generation and Demand Management Improvement with Increased Variable Generation: A Midwest ISO Perspective*, IEEE (2011).

<sup>179</sup> See Order Conditionally Accepting in Part and Rejecting in Part Tariff Filing and Requiring Compliance Filings, Docket No. ER11-1991-000, 134 FERC ¶ 61,141 (Feb. 28, 2011); Order Denying Rehearing, Docket No. ER11-1991-001, 134 FERC ¶ 61,100 (Aug. 12, 2011).

<sup>180</sup> ISO/RTO Planning Committee, *ISO/RTO Electric System Planning: Current Practices, Expansion Plans, and Planning Issues 156* (Mar. 20, 2006).

<sup>181</sup> *Id.* at 159.

<sup>182</sup> *Id.*

generation, including wind.<sup>183</sup> When this plan is implemented, it will “result in a list of transmission expansion projects and completion dates.”<sup>184</sup> The RTO has already completed a cost allocation strategy to distribute more costs of grid upgrades for wind throughout the region.<sup>185</sup> It has also joined a larger regional group, which covers the entire grid that services the eastern the United States (the eastern interconnection), to “focus on interconnection-wide expansion plans” for wind.<sup>186</sup>

Beyond planning for transmission expansions, SPP must accommodate interconnection requests that it already has received. It initially did this by evaluating specific interconnection requests from generators; when SPP received a large number of wind generation requests, however, it began aggregating them within “cluster studies.”<sup>187</sup> These showed that new extra high voltage facilities (EHV) would be required and that these upgrades were not included within the planned transmission backbone.<sup>188</sup> SPP therefore formed a separate technical planning process, which creates a model with various assumptions about the amount and type of new generation that will come online within the region (including “high wind scenarios, for example), economic needs, and reliability.

While no entity can fully address the challenge of booming renewable generation and interconnection requests, the particular structure and functions of RTOs has improved renewable access. As the RTO/ISO planning committee noted in 2006: “The ISOs/RTOs have been successful in creating nondiscriminatory, open, and transparent electric system planning and expansion planning processes that provide an opportunity for all stakeholders to participate. The ISO/RTO planning processes remain dynamic and are still evolving.”<sup>189</sup>

## 2. Forging Horizontal and Vertical Connections

RTOs, by bringing together utilities, state utility commissioners, and disinterested experts in the governance of transmission planning and

---

<sup>183</sup> Southwest Power Pool. Integrated Transmission Planning Process Document 3, 6 (2009), [http://www.spp.org/publications/itp\\_process\\_final\\_20091029.pdf](http://www.spp.org/publications/itp_process_final_20091029.pdf) (describing the purpose, noting that study assumptions will include “wind profiles,” and noting that the new ITP process must capture the goals of each planning process integrated into the larger process, including the goal of “utilization of the area’s large renewable resources”).

<sup>184</sup> *Id.* at 4.

<sup>185</sup> Southwest Power Pool. Wind Integration at 1, [http://www.spp.org/publications/SPP\\_Wind\\_Integration\\_QA.pdf](http://www.spp.org/publications/SPP_Wind_Integration_QA.pdf).

<sup>186</sup> *Id.* at 2.

<sup>187</sup> ISO/RTO Planning Committee, *supra* note 180, at 159..

<sup>188</sup> *Id.* at 6.

<sup>189</sup> *Id.* at 10.

operation, forge needed interactions among the many parties affected by the grid. Professor Michael Dworkin provides a useful framework through which we might structurally characterize RTOs, alternatively understanding them as: (1) agents of the Federal Energy Regulatory Commission; (2) monopolies, private entities that need regulation like other monopolies in the energy market; (3) hybrid, quasi-governmental organizations; (4) a commodities trading market; (5) agents of transmission owners in a region; or (6) a regional planning process. He explains that each of these characterizations has validity, but none fully describes them.<sup>190</sup>

These various views of RTOs reinforce the way in which they cross-cut the levels of government and integrate public and private actors, which are crucial components of the governance challenges described in Section I.A. RTOs play and have the potential play important roles in helping to overcome some of the federalism barriers to effective grid transformation generally and integration of renewables in particular because of their hybridity. While they are certainly not perfect, and there is much analysis of the benefits and limitations of their form and some of their actions,<sup>191</sup> RTOs help create a bridge both vertically between the federal and state governments and horizontally among their member states. This helps to ensure full authority over the planning of wires that often cross multiple jurisdictional lines and to avoid overlap and fragmentation in this planning process. RTOs receive frequent orders from FERC, including, for example, recent directives for interconnecting wind farms. When RTOs propose changes to their tariffs in order to implement these orders, they engage in frequent back-and-forth communications with FERC. Member states, in turn, cooperate both through RTOs and associated institutions, such as the Organization of MISO states, to support or oppose the RTOs' proposed policy changes in response to FERC orders.

MISO's DIR approach, in particular, which integrates wind into the real-time electricity market run by the RTO, has been shaped by an interaction among MISO, FERC, and entities challenging MISO's approach. FERC's order established MISO's capacity to submit its proposal for DIRs, MISO formulated the particular approach, some regulated entities and groups representing them then filed a challenge to aspects of the approach, and FERC accepted and rejected parts of the approach and then denied rehearing.<sup>192</sup> MISO's hybrid, regional role in that process—as both a regulated and regulating entity addressing regional

---

<sup>190</sup> Dworkin, *Ensuring Consideration of the Public Interest in the Governance and Accountability of Regional Transmission Organizations*, *supra* note 166, at 554–57.

<sup>191</sup> For a summary of this debate, see *id.* at 578–91.

<sup>192</sup> See Order Conditionally Accepting in Part and Rejecting in Part Tariff Filing and Requiring Compliance Filings, *supra* note 192; Order Denying Rehearing, *supra* note 192.

concerns around wind integration—helped to provide a new model for market integration.

To implement expanded transmission for anticipated future generation, SPP has relied on similar institutional mechanisms that integrate actors from multiple levels. Through its “local area (sub-regional) planning process” to address existing interconnection requests, for example, it meets quarterly with stakeholders from SPP’s geographic “subregions” to discuss local needs and hear any requests for high-priority transmission projects.<sup>193</sup> This process helps facilitate agreement around transmission and communication about concerns.

Both the underlying RTO structure and their efforts to foster transmission and market integration have begun to effectively address gaps and overlap in authority, including questions of where each actor falls within the decisionmaking hierarchy for transmission planning and the extent to which these actors cooperate and conflict. The MISO processes around transmission build-out and market integration create structured bi-directional hierarchy, for example, and the MVP and DIR approaches, discussed above, allow for iterative interactions among MISO and FERC, MISO and stakeholders, and FERC and stakeholders. These interactions sometimes involve conflict, even formal challenges raised before FERC and federal courts. However, the combination of these challenges with formal approval processes that allow for stakeholder input under FERC and MISO have helped connect and coordinate the many actors involved in expanding transmission to renewables. These processes, through both bridging authority and focusing it at a regional level, allow for needed progress.

### 3. Including Public and Private Actors in Multi-Directional Planning Processes

In addition to connecting several governance levels, RTOs also have effectively integrated public and private stakeholders. The processes for including these stakeholders are both bottom-up and top-down, thus balancing grassroots input with public review; this may help to avoid capture of the process by any one actor. SPP, for example, which had to decide on essential yet disparate plans for both existing grid interconnection requests and future transmission needs, developed an inclusive Balanced Portfolio Planning process. In 2009, the SPP Board of Directors formed a new stakeholder planning group, the “Synergistic Planning Project Team” (SPPT), consisting of electric cooperatives, state electricity regulators,

---

<sup>193</sup> Southwest Power Pool, Integrated Transmission Planning Process Proposal 6, Oct. 6, 2009, *available at* [http://www.spp.org/publications/ITP\\_Process%20-%20DRAFT%20Rev%209.2.pdf](http://www.spp.org/publications/ITP_Process%20-%20DRAFT%20Rev%209.2.pdf).

utilities, capital groups, and SPP staff. This group proposed a plan to coordinate various local and regional planning processes, and the plan has since been adopted by the SPP, which models needs for likely future generation. Under this plan, a number of SPP stakeholder groups, such as those dealing with the allocation of transmission costs across the region and environmental issues, propose the scenarios to be used in the model, and stakeholders then approve them. An SPP working group then finalizes development of the model and runs it, proposing transmission solutions based on model results. The Board of Directors ultimately approves the solutions generated by the Integrated Planning Process following another stakeholder review.<sup>194</sup> Through the process, stakeholders reached a consensus on how to ensure that benefits of new transmission projects would be equally allocated throughout the region and how costs would be transferred to match benefits,<sup>195</sup> and the Board of Directors approved the resulting plan.

Together, MISO and SPP model the dynamic role that hybrid, regional entities are playing in addressing grid-related federalism challenges. They serve as an interface between national and state regulatory entities and a range of important private and quasi-private actors, and use their role to attempt to overcome barriers to progress at state and federal scales.

As with the previous two sets of examples, MISO and SPP efforts are not unmitigated successes. Most fundamentally, their experiments are young, and it is still unclear whether their transmission and market efforts will actually achieve their goals or, in some instances, even survive judicial review. Not all stakeholders buy in to their approaches, as evidenced, for example, by challenges to the DIR made through the FERC regulatory process. Moreover, as organizations with voluntary membership, RTOs cannot compel stakeholders to become members and participate. However, even with these limitations, their innovative efforts to make progress through a hybrid, inclusive structure at regional effort represent an important example of possible ways forward.

## V. BENEFITS AND LIMITATIONS OF INSTITUTIONAL HYBRIDITY

The U.S. energy institutions described in the previous Part have made admirable progress in the face of significant substantive and structural barriers. Facing the difficult tasks of updating an entire grid for reliability and clean energy while reducing risks in the extraction of fuels—the

---

<sup>194</sup> Integrated Transmission Planning Process at 12.

<sup>195</sup> *Id.*

lifeblood of the electricity generation system—these institutions are grappling with the need to coordinate actors from all levels of governance, and, increasingly, thousands of stakeholders. Their practical efforts suggest ways in which regional, hybrid institutions may play an important role in future energy governance challenges.

In order to conduct a normative assessment of whether these innovations should be viewed as successful, this Part explores the broader patterns emerging from these examples drawn from diverse and at times divergent areas of energy law. It assesses the benefits and limitations of these types of governance innovations as a tool for energy transformation, with a focus on both policy and governance achievements. It begins by considering the difficulties of defining success and then turns to an examination of their substantive and structural roles.

#### *A. Difficulties of Defining “Success”*

To evaluate whether hybrid regional entities may successfully address future substantive energy challenges while overcoming governance barriers, one must of course have a definition of success. But the dual nature of our inquiry makes this definition more difficult to establish: We are interested both in whether these institutions are making substantive progress in addressing the need for energy transition and whether their governance approach in achieving this progress is a constructive one. The latter part of our inquiry also potentially raises long-standing philosophical debates about process-based versus ends-based evaluation of success. While an involved exposition of deontology versus teleology, or how to conduct utilitarian measurement, is beyond the scope of this paper, there is arguably value in having a better energy governance process even if the outcomes remain the same.

Given this framing complexity, our assessment in this Part takes two primary steps. First, we engage in a substantive inquiry that asks whether these institutions have made progress in addressing the three sets of challenges we have identified. More simply put, have they helped (1) make unconventional fuel extraction less risky, (2) improve grid reliability in the context of a transition to a smart grid, and (3) integrate renewables onto the physical grid and into the energy market?

This measure of success is designed to address the ends-based concerns of whether these types of governance innovations appear to be helpful to achieving energy transition. Our assessment approach involves qualitative, detailed case study rather than quantitative empirical methods. We acknowledge the value of future quantitative empirical work in this

area, but the goal of this Article is to provide a more nuanced exposition of several examples than quantitative analysis generally provides in order to understand *how* and *why* governance innovation might translate into substantive success in the energy system.

In addition to focusing on specific ends-based substantive goals of energy transformation, this Part also considers a second measure of success: whether these governance innovations actually embody the three principles for more effective governance introduced in *Dynamic Energy Federalism*. As explored in depth in that piece, we have core concerns with the energy system's complexity and with its silos. We have proposed that more dynamic, holistic treatment of interlinked federalism and governance relationships in the energy system would benefit the system as a whole and specifically, that a dynamic energy federalism model must draw together actors from all governance levels affected by or involved in energy changes, better integrate these actors, and allow for enhanced levels of private entity involvement accompanied by stakeholder participation and other mechanisms to lower the risk of inefficient capture.

However, in arguing for this governance system, we acknowledge the difficulties of achieving foundational changes to underlying statutes and regulatory approaches, particularly in the current political climate. These hybrid, regional structures have promise in part because they may have the capacity to produce more effective governance without major reform. We therefore also conduct a structural assessment of success based on our case examples in order to determine whether these institutional innovations can fill gaps in authority, reduce fragmentation, and integrate key public and private stakeholders without capture.

### *B. Substantive Assessment*

Substantively, as described in the case examples of Parts II through IV, regional hybrid institutions have made some meaningful progress toward addressing all three modern energy challenges that are the focus of this Article. In the process, they appear in some instances to have made—and to have the potential to make—energy cheaper, fairer, and cleaner. However, none of these institutions has achieved unmitigated success, and much room for progress remains. In each example, substantial structural barriers have sometimes limited their achievements and may continue to do so. Moreover, the newness of some of these regulatory experiments means that their effectiveness has not been fully tested.

In the area of controlling the risks of unconventional fuel development, RCACs identify the many risks of oil spills through a relatively comprehensive approach, including both monitoring and the

proposal of substantive mechanisms to prevent and respond to risk; this, in turn, may ensure better environmental protection. By drawing in diverse stakeholders, they also prevent an assessment of risks through one lens, which could miss the powerful effects of spills on certain populations—particularly on communities that rely on ocean resources for their subsistence. This will potentially reduce unfair burdens on disadvantaged groups in future spills, and it also enhances the inclusiveness of the process. Further, these councils do not appear to have imposed high costs on energy development, although perhaps their focus on “recommendations” and monitoring, as opposed to extensive substantive action, places too high of a premium on development over environmental protection.

It also remains unclear how successfully this model could be brought into the context of deepwater drilling. RCACs have not been yet established in the Gulf region despite the many calls for such an approach in the aftermath of the BP *Deepwater Horizon* oil spill. If they were, their structure and goals would likely need to be much more complex than the current RCACs in the Alaskan context; the Gulf and its communities are far less environmentally pristine and far more populated than the region where the Exxon Valdez spill took place. However, the steps that these two RCACs have been able to take and the assessments of their progress thus far suggest that they have the ability to complement other regulatory processes and reduce the risks of oil spills.

In unconventional onshore natural gas extraction, hybrid regional entities have been more involved in attempting to directly regulate multiple aspects of drilling and fracturing. As introduced in Part II, the Delaware River Basin Commission—composed of state representatives and one federal representative—proposed to control the nonpoint source pollution from wellpads, require baseline testing of waters for pollutants prior to drilling and fracturing, extensively regulate water withdrawals, and approve the means and location of disposing of drilling and fracturing waste, for example; these measures would have provided relatively comprehensive and direct control of risks.

Despite its progress in navigating the complex governance interactions that occur along horizontal and vertical axes, the institution’s regulations may ultimately fail. The DRBC’s own member states have engaged in increasingly conflictual, not cooperative, relationships with it, arguing that the regulations inadequately protect against environmental risks.<sup>196</sup> Furthermore, the DRBC regulations, if finalized, would cover only water quantity and quality risks. Fragmented and divergent state and local

---

<sup>196</sup> See *supra* notes 90-92.

regulations would have to fill in the remaining problem areas, and, if recent trends continue, they would not be wholly successful in this task.

Moving from governance of the risky extraction of fuel used in power plants to electricity generation itself, NERC, as a hyper-regional institution (a collective of regional entities, which are collectives of states) and a hybrid with numerous public and private actors, appears to have achieved reasonable success in enhancing grid reliability despite widespread computerization. FERC has approved new cybersecurity standards proposed by NERC,<sup>197</sup> and a number of utilities have taken important new cybersecurity measures.

But as in the example of the risks associated with unconventional fuels, significant concerns remain. According to some consultants, many utilities still are at risk of computing-related interruptions<sup>198</sup> and the implementation of cyber-security measures will be costly;<sup>199</sup> it is not entirely clear whether the costs exceed the benefits of avoiding disruptions from computerized attacks or other interruptions. Further, some critics have suggested that small utilities have not been diligent in implementing cybersecurity measures;<sup>200</sup> in some regions, this could mean that customers that already face disadvantages due to limited access to diverse and cheap generation could experience additional reliability problems in the event of computer failures. Overall, NERC's success in preventing most massive blackouts despite an aging infrastructure and a multiplicity of new demands on the grid speaks to its general success, but additional implementation and testing over time is needed to assess the ultimate success of its efforts to adapt reliability approaches to changing technology.

---

<sup>197</sup> See, e.g., FERC, Version 4 Critical Infrastructure Protection Reliability Standards, 18 C.F.R. Part 40, Final Rule, Apr. 19, 2012, available at <http://www.ferc.gov/whats-new/comm-meet/2012/041912/E-6.pdf>.

<sup>198</sup> Cyber Security Measures a Must for All Utilities, Expert Tells Seattle Gathering, Public Power Weekly, June 25, 2012, <http://www.naylornetwork.com/app-ppw/articles/index-v2.asp?aid=180746&issueID=23334> (last visited July 16, 2012) (“Many public power utilities run enterprise and operations programs on a single flat network, he said. Those computer systems should be run on separate networks – one for enterprise (billing, engineering, desktop users) and one for operations (substation, SCADA, metering, distribution, generation and transmission).”).

<sup>199</sup> See, e.g., NARUC, Cyber Security for State Regulators at 13 (2012), available at <http://www.naruc.org/Grants/Documents/NARUC%20Cybersecurity%20Primer%20June%202012.pdf> (noting that “in the face of shrinking budgets, fluctuating workforce and the absence of comprehensive legislation, regulators need a dynamic strategy to strike the right balance of security and resources,” and that “[r]egulators must keep the cost of electricity affordable for customers while asking utilities to spend more on cybersecurity in the face of increasing media attention on stories of cybersecurity threats.”).

<sup>200</sup> See Cyber Security Measures, *supra* note 198 (suggesting that small utilities may view the cybersecurity standards as being important only for large utilities).

RTOs' efforts to integrate renewables onto the grid have thus far been the most clearly successful of our examples, but they are at early stages of implementation, making their long-term achievements still unclear. For example, MISO's transmission planning process that prioritizes projects with MVP designation has tremendous promise and is functioning well thus far. As Alex Klass and Elizabeth Wilson observe:

FERC approved the MVP model in December 2010 and the MISO Board approved the projects in December 2011. The pricing model allows regionally oriented projects to have their costs allocated across the MISO region on a "postage-stamp" (load-ratio share) basis. To be considered for MVP status, a proposed project either must: (1) be developed through MISO's transmission expansion planning process for the purpose of meeting various energy policy laws or mandates; (2) provide multiple economic benefits to multiple regions, while the project's total economic benefits are greater than the total economic costs; or (3) address an issue related to a regional reliability standard, while the project's total economic benefits are greater than the total economic costs. In creating a new cost allocation methodology for MVP projects, "Midwest ISO projects that the MVP starter projects developed within the first 5 to 10 years following approval of the proposed MVP cost allocation methodology will generate between \$400 million to \$1.3 billion in aggregate annual adjusted production cost savings, spread almost evenly across all Midwest ISO Planning Regions."<sup>201</sup>

This process, while efficient, has addressed important environmental values in its expansion of transmission access for renewables, and also has focused directly on fairness in its requirement that the projects provide benefits to "multiple regions." Further, the process to implement the MVP involved multiple public meetings with options for stakeholder input.<sup>202</sup> However, until these lines actually are built and in operation, we cannot know with certainty how much progress this program will make in bringing renewable sources onto the grid.

---

<sup>201</sup> Klass & Wilson, *supra* note 174.

<sup>202</sup> MISO, Candidate MVP Portfolio Study, <https://www.midwestiso.org/Planning/Pages/MVPAnalysis.aspx> (last visited July 16, 2012) ("High-level study updates were provided at the Planning Advisory Committee (PAC), Planning Subcommittee (PS) and the Subregional Planning Meetings (SPMs). Candidate MVP Technical Study Task Force (TSTF) meetings were also held throughout the study on at least a monthly basis. Finally, weekly updates were sent to stakeholders via the Planning Advisory Committee (PAC) mailing list.").

Similarly, MISO has successfully implemented its DIR approach, after revising it somewhat over the course of the FERC regulatory process. As a result, wind producers have begun to participate in the real-time energy market for the first time. However, because this implementation has occurred over the last several months, it is still too early to know how effectively this market mechanism will reduce wind curtailment over time (instances when wind producers cannot put all of their available wind onto the grid). As of now, the DIR program's main accomplishment has been to create fuller market participation, an important gain.

These rather mixed substantive results provide a window into both the benefits and limitations of these kinds of governance experiments as a tool in energy transition. On the one hand, these hybrid, regional institutions have made some progress in addressing substantive challenges. They each have developed new regulatory standards and approaches in rapidly-evolving areas of the energy system; such efforts are needed in order to help the system be responsive to change. On the other hand, these examples contain many instances of groups of dissatisfied stakeholders and of proposals that never solidified. Considering these concerns and preliminary progress, we are guardedly optimistic that this governance innovation has the capacity to translate into needed regulatory innovation.

### *C. Structural Assessment*

Our structural assessment parallels the substantive one and is closely intertwined with it. All of the institutions described in this Article represent significant steps towards our recommended governance principles, and these innovations appear to be important contributors to the substantive gains that they have made thus far. However, none of these institutions has completely solved the governance problems we identified in *Dynamic Energy Federalism*. Gaps in authority and fragmented authority remain, and often serve as important barriers to these institutions achieving their regulatory goals. These institutions' integration of private actors has also had naysayers from both directions, including those who think that some important private interests have not been well-enough incorporated and those that think private interests have been too well incorporated. But despite these limitations, and at times perhaps because of them, these institutions serve as important examples of the types of governance innovations that could play a central role in supporting energy transitions toward less risky fuel extraction, grid reliability, and more renewables. This Section uses the three governance principles to explore these issues.

First, all of these hybrid arrangements establish significant authority at a regional level, which helps to address some of the gaps in authority in the relevant substantive areas. In the hydraulic fracturing and oil spills

context, this regional focus allows RCACs and groups operating under interstate compacts, such as the DRBC, to address geographically intertwined concerns with key stakeholders involved. The NERC regional entities similarly convene regional interests and conduct enforcement at that level; because one grid outage can affect an entire region, and the grid is increasingly interconnected as a result of new technologies, regionalism serves as a critical interstitial space. Likewise, regional-level authority allows the RTOs to convene conflicting stakeholders, which conflict at times, and bridge state and national-level authority gaps around allocating cost for new transmission lines and integrating more intermittent sources into price structures.

As noted in the above analysis, this gap-filling is not comprehensive. These regional-level institutions do not supplant the partial authority of the relevant federal, state, and local governments; they are limited to using their powers to create additional, umbrella-type authority at a regional level that can create needed convergence. As a consequence of this limited authority, these institutions face many checks and hurdles as they attempt to achieve their goals. This partial gap-filling suggests that regional hybrid approaches can help ameliorate the problem of inadequate authority without requiring major legal or institutional reform, but cannot fully solve it.

Second, with respect to the problem of simultaneous overlap and fragmentation, each of these institutions integrates multiple governance levels into their processes with possibilities for bottom-up input. All of these structures help to resolve questions of hierarchy through their inclusive processes. For example, both the DRBC and RCAC involve high levels of stakeholder participation, and include governmental and nongovernmental entities constituted at different scales within that stakeholder group. Similarly, NERC and RTOs conduct processes that allow both individual end users and utilities significant opportunities for input. This type of overlap can be highly beneficial when well coordinated, as Jody Freeman and Jim Rossi have observed. It may reduce the costs of decisionmaking by, for example, “streamlining redundant functions” like information gathering.<sup>203</sup> Further, it may lower the costs to stakeholders of participating in the regulatory process and encourage the pooling of agency expertise, among other benefits.<sup>204</sup>

These institutions and their fit within broader regulatory structures also provide opportunities for iterative conflict and cooperation. After states were upset with the DRBC process, for example, it began holding more meetings to try to achieve a compromise. The RCACs similarly try to find

---

<sup>203</sup> Freeman & Rossi, *supra* note 23, at 1182.

<sup>204</sup> *Id.* at 1183-85.

common ground among disparate groups, and address areas where disagreement persists. When FERC reviews and criticizes regulatory decisions by NERC and RTOs or stakeholders challenge them, those entities respond, often with modifications.

As with the first principle of progress toward substantive energy goals, these institutions' governance successes are only partial. By bringing key stakeholders together, they decrease overlap and fragmentation and provide opportunities for coordinated action. However, because significant fragmented authority remains at multiple levels of government, they cannot achieve full integration. From a normative perspective, this state of affairs may at times be positive. After all, the U.S. system of government, with its separation of power, checks and balances, and federalist structure, is founded on the idea that too much consolidation of authority can lead to problematic institutions and outcomes. Along these lines, some of the dissent in the examples may lead to better policies; if for example, the DBAC's standards do not provide enough environmental protection, the state opposition may help to prevent the emergence of a regulatory scheme that allows risky gas development practices. Yet to the extent that the remaining fragmentation results in regulatory dysfunction, the current level of integration of authority may still be inadequate.

Finally, these entities have a high level of public and private integration. Industry representatives participate in RCACs, which receive funding from two major corporations. State members of the DRBC also receive industry input through an industry-nonprofit group called the State Review of Oil and Natural Gas Environmental Regulations<sup>205</sup> and indirectly from DOE advisory committees, which publish recommendations for improved fracturing regulation.<sup>206</sup> Further, NERC's approach provides for utility and electricity end user participation and a private governance structure. Utilities also have a high level of involvement in RTO decisions, and RTOs are themselves nonprofit boards.

Despite progress in integrating private entities within the energy governance schemes discussed here, it is often unclear if their mechanism for structuring public-private integration is optimal. Commentators, for example, have raised concerns about capture by interested corporations in multiple instances, and some of their proposals for further reform could improve these institutions. For instance, Plater's critiques regarding RCACs reliance on interested corporations for funding and cooptation of

---

<sup>205</sup> STRONGER, Past Reviews, <http://www.strongerinc.org/past-reviews> (showing that the organization has completed reviews of hydraulic fracturing regulations in six states).

<sup>206</sup> See, e.g., U.S. Dept. of Energy, Sec. of Energy Advisory Bd., Shale Gas Production Subcommittee 90-Day Report, Aug. 18, 2011. [http://www.shalegas.energy.gov/resources/081811\\_90\\_day\\_report\\_final.pdf](http://www.shalegas.energy.gov/resources/081811_90_day_report_final.pdf).

their board members suggest further strategies needed to prevent capture; RCAC funding could be restructured so that a more independent entity makes allocates the money, and more oversight of board members could take place. Although issues of capture cannot be fully eliminated so long as valuable private party inclusion occurs—and additional structures to ensure independence can create structural inefficiencies and reduce effectiveness—continued reassessment of these institutions’ approach to private integration seems critical.

As in our substantive assessment, we are cautiously optimistic about the governance innovations seen within the institutions analyzed in this Article as a strategy for better governance approaches across energy law. These institutions are not panaceas, and our case examples reveal many limitations of hybrid regionalism, even in substantive contexts where the underlying geography of the problem lends itself to regionally-based approaches. Regional-level entities at times cannot fully address issues that occur primarily at state and federal scales. Multi-level, iterative processes are messy, and do not always reach conclusions that satisfy all stakeholders. Public-private hybrids must always be alert to concerns about industry capture. In addition, because these institutions and their innovations often emerge from crisis, their approaches may at times be hard to replicate in other contexts without the regulatory push that crisis brings. However, even with these limitations, the institutions discussed in this Article serve as an important model for the road ahead. They demonstrate the possibilities for hybrid, regional institutions to address the physical and governance-based complexity of the energy system in a principled fashion as our institutions strive to respond to substantive energy challenges.

## CONCLUSION

We are still far from achieving needed energy transformation in the United States. Part of this Article’s goal has been to explain why such change is hard and what it would take to get there. As we observe in *Dynamic Energy Federalism*, we cannot solve our modern energy problems without grounding governance approaches in an understanding of federalism that acknowledges and embraces the underlying complexity of the system. Simple solutions that involve empowering one key actor at one level of government are unlikely to work without massive—and likely politically impossible—reform of the law applicable to energy at multiple levels of government.

However, this reality does not mean that the goal of energy transformation is impossible. This Article provides case examples of

dynamic, hybrid entities to show how institutions can be structured to navigate the governance challenges arising from complexity. The institutions described here offer limited examples of a much broader set of energy governance institutions, omitting, for example, state energy siting boards that draw together municipalities and state agencies in streamlined processes<sup>207</sup> and inter-agency coordination to address offshore wind development.<sup>208</sup> They provide, though, a taste of the extent to which integrating actors from several governance levels, coordinating regional approaches among these governance levels, and enabling unique interactions between actors—including public-private cooperation—offer promise for future energy transitions. Their method of approaching our complex energy system, and the resulting gains and pitfalls, can assist future efforts in these contexts and others to structure needed innovation.

Specifically, as analyzed in Part V, the entities studied in this Article embody our proposed principles for effective governance in several ways that could be replicated in many other substantive areas of energy law and beyond. First, they focus around an interstitial governance level—in all of these cases the regional level between state and federal. This “in-between” scaling allows them to more effectively navigate the fragmented and inadequate authority in the key levels above and below. Second, they do not simply attempt to create new governance authority at that level, but also use their regional scaling to help combine existing authority at multiple levels. They include key stakeholders in those interactions, including those who lack top-down authority. Finally, they incorporate all key stakeholders, not just governmental ones. Their inclusion of corporations, nongovernmental organizations, and individuals in formal processes helps governance reflect the underlying relational dynamics more effectively and often makes the difficulty of navigating capture concerns worthwhile.

Combining the governance model offered in *Dynamic Energy Federalism* and this Article’s practical applications of this model in modern energy governance will provide important lessons for institutions moving forward; indeed, hybrid regional institutions, as opposed to unilateral state

---

<sup>207</sup> See, e.g., State of Washington Energy Facility Site Evaluation Council, <http://www.efsec.wa.gov/default.shtm>. See also Hannah Wiseman, Regional Energy Governance, Hannah J. Wiseman, *Expanding Regional Renewable Governance*, 35 HARV. ENVTL. L. REV. 477 (2011) (discussing these and other unique regional institutions).

<sup>208</sup> See, e.g., Secretary Salazar Announces Approval of Cape Wind Energy Project on Outer Continental Shelf of Massachusetts, <http://www.doi.gov/news/doinews/Secretary-Salazar-Announces-Approval-of-Cape-Wind-Energy-Project-on-Outer-Continental-Shelf-off-Massachusetts.cfm>, Apr. 28, 2010 (describing negotiation between the Dept. of the Interior and the Advisory Council on Historic Preservation); Cape Wind Final Environmental Impact Statement (describing review and input in the approval process by the Dept. of the Interior, the Coast Guard, the National Marine Fisheries Service, and other agencies).

or federal approaches to energy issues, likely should be the new norm in energy governance. Not all institutions will need to be regional as they attempt to integrate these principles; all of the energy challenges that were the focus of this Article, from the reliability and expansion of the transmission grid to drilling gas wells in watersheds and oil wells offshore, had clearly regional impacts and implicated a range of actors. Certain energy issues will be more compact both in their effects and their planning demands; distributed generation such as solar panels on roofs, for instance, may require primarily local zoning governance.<sup>209</sup> But even in those cases, some multi-level interaction takes place, which could make some variation among these governance approaches valuable. For example, distributed generation has system-wide impacts; if the majority of residents in a neighborhood installed solar panels or wind turbines in backyards, they could potentially exceed the local capacity of the grid, or could—if policy allowed—join forces to form a larger generating unit that affected the larger transmission grid.<sup>210</sup>

Similarly, public-private integration should take a variety of forms depending on the energy issue addressed. Many institutions will not need the level of private involvement that, for example, NERC requires. Whereas utilities are necessary players in a governance regime that writes and enforces highly technical standards for the reliability of the grid, governmental actors may have sufficient knowledge of, say, certain risks of oil and gas extraction to do most of the governing themselves. There, too, though, exist detailed and long-tested industry standards, and as technologies for unconventional extraction rapidly change, industry may hold most of the key knowledge of risks; the aftermath of the BP *Deepwater Horizon* oil spill reinforces the difficulties that superior industry information and access, paired with regulations that struggle to keep up with technology, can provide for regulators attempting to respond appropriately. Each regime will have to weigh these and other questions—examining the need for cross-cutting regional governance, industry involvement, and enhanced stakeholder participation in that setting.

The governance experiments described in this Article do not immediately solve all challenges by virtue of their innovations. As each of their stories reflects, these institutions all have faced and continue to face obstacles, and they arguably each have an uphill battle in achieving needed substantive change. But even with these difficulties, they help provide hope

---

<sup>209</sup> See, e.g., Garrick Pursley & Hannah Wiseman, *Local Energy*, 60 EMORY L.J. 877 (2011) (arguing for local governance of distributed energy installation above a federal floor).

<sup>210</sup> See, e.g., Sara C. Bronin, *Curbing Energy Sprawl with Microgrids*, 43 CONN. L. REV. 547, 571-72 (2011) (describing the policy needs).

and a way forward. They demonstrate the possibilities for operationalizing needed dynamism in the complex energy system and the transformation that can result from doing so.